



# Price List 2018

# Contents

## Metal Anchors

Throughbolts	6
Wirehangers	6
Option 7 & 1 Approved Throughbolts	7
• Clear Zinc Plated	
Throughbolts	8
• Stainless Steel • Hot Dipped Galvanised	
Ankerbolt	9
• Hex. Flange Head • Hex. Head • Pan Head	
Ankerbolt	10
• Countersunk ZP • Hex Flange Mechanical Galv • Hex Head Mechanical Galv	
Ankerbolt	11
• Option 1 • Countersunk S.Steel • Hexagon Flange S.Steel	
Ankerbolt	12
• Drop In • Drop In Setting Tool • Socket Bolt • Hookbolt • Eyebolt	
Torx Driver Bits	12
Sleeve Anchors	13
• Hex. Head Zinc Plated • Hex. Bolt Zinc Plated • Countersunk	
Sleeve Anchors	14
• Stainless Steel • Hookbolt • Eyebolt • S Steel Eye Bolt	
Drop In Anchors	15
• Zinc/Yellow • Lipped • ETA Approved • Stainless Steel	
Setting Punches	16
Forged Hooks and Eyes	16
Scaffold Ring Bolts & Retaining Eyes	16
Scaffold Retaining Eyes & Plugs	16
Shield Anchors	17
• Shield Only • Shield Only Stainless Steel • Projecting Bolts	
Shield Anchors	18
• Loose Bolts • Eyebolts • Hookbolts	
Heavy Duty Anchor	19
• Hex. Bolt • Stud and Nut	
Heavy Duty Anchor	20
• Countersunk • Stainless Steel	

## Chemical Anchors

Injection Resin	21
• Pure Epoxy • Vinylester • Epoxy Acrylate • Vinylester Fast Cure Winter Grade	
• Polyester Styrene Free • Polyester	
Injection Resin Accessories	23
• Injection Tools • Nozzles • Nylon Sleeves • Mesh Sleeves	
Chemical Anchor Accessories	23
• Blow Out Pump • Hole Cleaning Brushes	
Chemical Anchor Studs	24
• Zinc Grade 5.8 • Zinc Grade 8.8 • Galvanised Grade 5.8	
Chemical Anchor Studs	25
• Stainless Steel	
Glass Capsules	25
• Spin In Glass Capsules • Hammer-In Glass Capsules	
Internal Threaded Sockets	26
J-Bond • Rockite • Kwixset	27
Twist Nails & Fixing Bands	28
Warm Roof Fixings	29
Crack Stitching Bars & Accessories	30
Expanding Foam	31
Fire Stop Expanding Foam	31
Silicone	32
Fire Stop Sealant	32

## Nylon Fixings

Hammer Screws	33
• Zinc Plated • Stainless Steel	
Flange Head Hammer Screw	33
Nylon Nail Plugs • Window Frame Anchor	33
Nylon Frame Fixings	34
• ZYP Countersunk • Hex Head • Stainless Steel	

## Light Duty Fixings

Plug Range	35
• Push Plug • Nylon Plugs • Universal Plugs	
• Plastic Plugs • Metal Expansion Plug • Handyplug and Screw Tubs	
Flange Clips & Angle Brackets	36
Concrete Screws	36
Cavity Fixings	37
• J Plug Plasterboard Fixing • Road Fixing Kit • Ankernuts	
Cavity Fixings	38
• Rosett • Hollow Wall Anchor • Hollow Wall Anchor Setting Tool	
• Spring Toggles • Nylon Toggles	
Nail In Anchor	39
• Metal • Zinc Alloy • Steel	
Aercon Anchor	39
• Aerated Concrete Plug	
Plastic Headed Nails	39
Masonry Nails	40
Coach Screws and Plugs	40
Sanitary Fixings	40

## PA and Gas

Drivefast Gas Nailer DF90	41
Gas & Nails Drivefast	42
Shot Fired Pins	43
Cartridge Tool	44
• PA97 • Cartridges	

## Self Drilling Screws

Self Drill Screws	45
• Metalfix Zinc Plated	
Self Drill Screws	46
• Loose Washer • Pozi Pan • Phillips No.3 Drive • Phillips No.3 Drive Bit	
Self Drill Screws	47
• Gash Point Screw • Stitching Screw • High Thread Screws	
Self Drill Screws	48
• Wafer Head Screw • Magnetic Socket • Fibre Cement Screws	
Self Drill Screws	49
• Bi-Metallic A2 S.Steel • Loose Washer S. Steel	
Self Drill Screws	50
• Bi-Metallic A2 S.Steel • Stitching Screw • Coloured Caps	
Self Drill Screws	51
• Setting Tool • Vertical Hangers • Horizontal Hangers	

## Drill Bits

SDS • SDS Max	52
Masonry Bits	53
Flat Wood Bits • Centre Spur Wood Bits	54
HSS • Metric • Imperial	55
Multidrill & Cobalt Drill Bits	56

## Pre Pack Range

Polybag & Minibag Range	57
• Shield Anchors	
• Nylon Range • Cavity Anchors • Masonry Nails	58
• Wall Anchors • Spring Toggles • Masonry Nails	59
• Frame Fixings • Hammerscrews • Coach Screws • Concrete Screws	60
• Plug Range	61
• Sleeve Anchors • Throughbolts • Ankerbolts	62
• Woodfix • Metalfix	63

## Retail Bag Range

Unifix Retail Bag Range	64
• Shield Anchors • Throughbolts • Sleeve Anchors	
• Wall Anchors • Concrete Bolts • Frame Fixings	65
• Wall Plugs • Fixing Rosetts	66
• Spring Toggles • Concrete Screws • Nails • Sanitary Fixings	67
• Self Drill Screws	68
• Self Drill Washers • Gash Point Screws • Wafer Heads • Magnetic Sockets	69



## Exclusively to the distributor

JCP Construction Products is the specialist fixing division of the Owlett-Jaton group, providing a wide range of quality anchoring products for customers in the construction industry.

Our commitment to stock means products are available, competitively priced, for next day delivery throughout the UK.

Our sales offices are open Monday to Thursday 8.30am to 5.30pm and 8.30am to 5.00pm on Fridays.

Account holders can order online - **24 hours a day 7 days a week** from **[www.ojtrade.co.uk](http://www.ojtrade.co.uk)**

**Technical Helpline 020 8943 1800**

Supersedes all previous price lists. All prices subject to change without notice. E&OE





Welcome to Hexstone Limited.

Hexstone is the company behind leading fasteners and fixings experts Owlett-Jaton, Galaxy Fasteners, Icon Fasteners, Stainless Threaded Fasteners, Righton Fasteners, Unifix and JCP Fixings, and is designed to strengthen the supply chain to the fastener and fixings industry.

The name 'Hexstone' is an abbreviation of 'Hexagon' - the strong, six-sided shape, recognised as the dominant head style in the world of fasteners, and 'Stone' - the location of the head office in Staffordshire.

The many sides of Hexstone offer different faces to the market, yet stand alongside one another in terms of complementary specification and offering.

The close association of companies within the Hexstone umbrella, allows a mixture of niche specialists in the industry to come together to form a collective strength.

Offering reassurance to the customer base, it reinforces the message that they can source all their needs from one organisation.


Hexstone in its entirety can be recognised as the total solution - offering a comprehensive stock range in both depth and volume, a continuity of supply, and a stock and buying power that is unique to the market.

Developed by our Technical Department, the JCP Anchor Specification Programme has recently been improved to include 3D graphics, along with hole depth optimisation for chemical anchors.

It has the facility to calculate numerous configurations of fixings in different base plate geometry. Calculations are carried out in accordance with the current European Guide EOTA TR 029 for bonded anchors and EOTA ETAG-001 ANNEX C for mechanical anchors.

The software and data base are updated regularly to ensure the programme is compliant with any changes in legislation, or industry standards.

The JCP Anchor Calculation Programme is free to download via [www.jcpfixings.co.uk](http://www.jcpfixings.co.uk)





A torque controlled anchor suitable for use in concrete over C20/25

## Throughbolts

### Throughbolt • Zinc Plated and Yellow Passivated • Min 5µm

Part Number	Anchor Hole Size mm	Anchor Length mm	Thread Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
TB06045	6	45	20	5	35	100	1.26	46.99
TB06055	6	55	30	15	35	100	1.34	51.12
TB06085	6	85	60	45	35	100	2.12	54.34
TB08050	8	50	20	5	40	100	2.60	63.05
TB08065	8	65	35	20	40	100	3.14	67.44
TB08080	8	80	50	35	40	50	3.54	76.50
TB08100	8	100	70	55	40	50	4.08	80.46
TB08130	8	130	85	85	40	50	4.88	90.93
TB10065	10	65	25	8	50	50	4.80	84.88
TB10075	10	75	35	18	50	50	5.40	89.73
TB10090	10	90	50	33	50	50	6.32	98.40
TB10100	10	100	50	43	50	50	6.95	102.51
TB10120	10	120	80	63	50	20	8.20	115.94
TB10150	10	150	110	93	50	20	10.25	137.75
TB10175	10	175	135	118	50	20	12.30	148.35
TB12080	12	80	30	5	65	20	8.10	133.95
TB12100	12	100	50	25	65	20	9.60	140.79
TB12120	12	120	70	45	65	20	11.30	169.80
TB12140	12	140	90	65	65	20	13.00	186.73
TB12180	12	180	90	105	65	20	16.40	240.84
TB16105	16	105	60	10	85	20	19.85	262.31
TB16125	16	125	65	30	85	20	22.50	320.41
TB16150	16	150	90	55	85	20	26.18	357.43
TB16175	16	175	90	80	85	10	29.85	408.52
TB16220	16	220	90	125	85	10	35.00	482.78
TB20130	20	130	60	20	100	10	36.80	457.37
TB20160	20	160	60	50	100	10	45.20	508.87
TB20215	20	215	60	105	100	10	58.10	732.19
TB24180	24	180	65	45	120	10	69.00	1,084.57
TB24260	24	260	65	125	120	5	98.00	1,451.03



## Wirehangers

Part Number	Anchor Hole Size mm	Anchor Length mm	Eye Diameter mm	Minimum Hole Depth mm	Rec Tensile Load KN	Qty Per Box/Outer	Ship Wt.kg Per 100	Price £ Per 100
TW06055	6	55	6	40	1.5	100	1.15	37.75



## Throughbolts



A throughbolt with a European Technical Approval, which is a torque controlled anchor suitable for use in concrete over C20/25.



### Option 7 Approved Throughbolt • Clear Zinc Plated • Min 5µm

Part Number	Anchor Hole Size mm	Anchor Length mm	Shallow Embedment Hole Depth mm	Max Fixture Thickness Shallow Embedment mm	Deep Embedment Hole Depth mm	Max Fixture Thickness Deep Embedment mm	Quantity Per Box	Price £ Per 100
AWA06060	6	60	35	21	55	2	100	65.67
AWA06080	6	80	35	41	55	22	100	70.53
AWA08050*	8	50	40	5	N/A	-	100	66.05
AWA08065	8	65	50	8	N/A	-	100	70.65
AWA08075	8	75	50	18	65	5	50	80.15
AWA08090	8	90	50	33	65	20	50	82.89
AWA08100	8	100	50	43	65	30	50	84.29
AWA08115	8	115	50	58	65	45	50	90.15
AWA08130	8	130	50	73	65	60	50	95.26
AWA10065*	10	65	50	3	N/A	-	50	88.92
AWA10075	10	75	60	8	N/A	-	50	94.00
AWA10090	10	90	60	23	75	10	50	103.08
AWA10100	10	100	60	33	75	20	50	107.39
AWA10120	10	120	60	53	75	40	20	121.46
AWA10150	10	150	60	83	75	70	20	155.85
AWA12080	12	80	70	3	N/A	-	20	140.32
AWA12090	12	90	70	13	N/A	-	20	143.69
AWA12100	12	100	70	23	85	8	20	147.50
AWA12110	12	110	70	33	85	18	20	164.14
AWA12120	12	120	70	43	85	28	20	177.88
AWA12140	12	140	70	63	85	48	20	195.62
AWA12160	12	160	70	83	85	68	20	223.79
AWA12180	12	180	70	103	85	88	20	252.31
AWA16105*	16	105	90	3	N/A	-	20	274.80
AWA16125	16	125	90	23	110	3	20	335.67
AWA16145	16	145	90	43	110	23	20	374.45
AWA16170	16	170	90	68	110	48	10	427.98
AWA16220	16	220	90	118	110	98	10	505.77
AWA20130*	20	130	95	23	N/A	-	10	479.15
AWA20170	20	170	95	63	135	23	10	533.10
AWA20215	20	215	95	108	135	68	10	767.06
AWA24180*	24	180	120	49	160	4	10	1,136.21
AWA24260*	24	260	120	129	160	84	5	1,520.12

\* Not included in approval



A throughbolt with an Option 1 European Technical Approval, suitable for cracked and non-cracked concrete.



Fire Resistance



### Option 1 Approved Throughbolt • Clear Zinc Plated • Min 5µm

Part Number	Anchor Hole Size mm	Anchor Length mm	Thread Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ETA08075	8	75	20	10	60	100	2.99	94.37
ETA08095	8	95	40	30	60	100	3.60	100.74
ETA08115	8	115	60	50	60	100	4.24	113.00
ETA10090	10	90	20	10	75	50	5.88	130.67
ETA10110	10	110	40	30	75	50	6.88	158.37
ETA10130	10	130	60	50	75	50	9.90	174.67
ETA12110	12	110	30	15	90	25	9.92	194.00
ETA12125	12	125	45	30	90	25	11.0	235.66
ETA12160	12	160	80	65	90	25	13.60	309.46
ETA12180	12	180	80	85	90	25	15.00	333.72
ETA16135	16	135	35	15	110	20	21.60	414.04
ETA16170	16	170	70	50	110	20	26.30	507.51
ETA16200	16	200	80	80	110	10	32.00	587.46



The throughbolt is a torque controlled anchor suitable for use in non-cracked concrete over C20/25.

## Throughbolts



### Option 7 Approved Throughbolt • Stainless Steel Grade A4-316

Part Number	Anchor Hole Size mm	Anchor Length mm	Thread Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
TSS06040	6	40	16	5*	35	100	1.12	209.24
TSS06065	6	67	30	10	55	100	1.38	236.30
TSS08050	8	50	22	5*	45	100	2.32	241.96
TSS08075	8	75	40	10	65	100	3.44	277.83
TSS08095	8	95	60	30	65	100	4.19	322.54
TSS08120	8	120	85	55	65	100	5.09	358.49
TSS10060	10	60	25	10*	50	50	4.62	376.34
TSS10080	10	85	40	10	70	50	6.00	412.19
TSS10100	10	105	60	30	70	50	6.94	483.82
TSS10125	10	125	80	50	70	50	8.42	555.93
TSS10175	10	175	80	100	70	50	11.40	720.43
TSS12085	12	95	50	14*	80	25	10.00	582.24
TSS12100	12	105	60	10	90	25	10.20	627.28
TSS12115	12	115	70	20	90	25	11.36	734.63
TSS12145	12	145	100	50	90	25	13.92	842.43
TSS12200	12	200	100	105	90	25	16.84	1,357.37
TSS16110	16	115	60	13*	90	20	16.80	1,333.56
TSS16125	16	130	70	10	110	20	18.00	1,483.68
TSS16150	16	150	90	30	110	20	25.20	1,747.09
TSS16175	16	180	110	60	110	20	30.05	1,919.57
TSS20170	20	180	70	35	130	10	49.60	3,000.29
TSS20220	20	240	70	95	130	10	65.00	3,583.77

\* Reduced loading due to shallow embedment



The throughbolt is a torque controlled anchor suitable for use in concrete over C20/25.

### Throughbolt • Hot Dipped Galvanised • EN1461

Part Number	Anchor Hole Size mm	Anchor Length mm	Thread Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
TG08050	8	50	22	5*	45	100	2.32	110.83
TG08075	8	75	25	10	65	100	3.44	122.97
TG08095	8	95	25	30	65	100	4.19	134.05
TG08120	8	120	25	55	65	100	5.09	147.14
TG10060	10	60	25	10*	50	50	4.62	146.12
TG10070	10	70	30	20*	50	50	5.21	158.87
TG10080	10	80	30	10	70	50	6.00	160.16
TG10100	10	100	30	30	70	50	6.94	164.27
TG10125	10	125	30	50	70	50	8.42	185.44
TG12085	12	85	50	10*	70	25	10.00	225.74
TG12100	12	100	35	5	90	25	10.20	245.90
TG12115	12	115	35	20	90	25	11.36	249.92
TG12145	12	145	35	50	90	25	13.92	289.32
TG12180	12	180	80	85	90	25	16.84	401.12
TG16110	16	110	40	15*	85	20	20.70	421.27
TG16125	16	130	40	10	110	20	22.50	475.67
TG16150	16	150	40	30	110	20	25.20	533.83
TG16200	16	200	40	80	110	20	30.03	717.22
TG20170	20	170	45	25	130	10	49.60	1,052.25
TG20220	20	220	45	75	130	10	65.00	1,145.41
TG20280	20	280	45	135	130	10	72.49	1,453.77



## Ankerbolt



The Ankerbolt is a self tapping anchor for use in a variety of base materials. The self tapping action provides a positive anchorage in concrete, brick, stone and blocks.

### Hexagon Flange Head • Zinc Plated and Clear Passivated • Min 5µm

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB05/06050	5	50	25	35	8mm A/F	100	0.98	22.31
JAB05/06075	5	75	50	35	8mm A/F	100	1.35	25.02
JAB05/06100	5	100	75	35	8mm A/F	100	1.60	34.13
JAB06/08030	6	30	5	35	10mm A/F	100	1.00	26.37
JAB06/08050	6	50	20	40	10mm A/F	100	1.49	35.84
JAB06/08075	6	75	45	40	10mm A/F	100	2.02	46.39
JAB06/08100	6	100	70	40	10mm A/F	100	2.57	57.35
JAB06/08130	6	130	100	40	10mm A/F	100	3.23	68.16
JAB06/08150	6	150	120	40	10mm A/F	100	3.66	74.49



### Hexagon Head • Zinc Plated and Clear Passivated • Min 5µm

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB08/10060	8	60	20	55	15mm A/F	100	2.99	46.29
JAB08/10075	8	75	35	55	15mm A/F	100	3.58	55.95
JAB08/10100	8	100	60	55	15mm A/F	100	4.53	77.69
JAB08/10130	8	130	90	55	15mm A/F	50	5.20	109.90
JAB08/10150	8	150	110	55	15mm A/F	50	5.48	119.71
JAB10/12060	10	60	10	70	17mm A/F	50	4.68	72.34
JAB10/12075	10	75	25	70	17mm A/F	50	5.50	80.76
JAB10/12100	10	100	50	70	17mm A/F	50	7.06	105.05
JAB10/12130	10	130	80	70	17mm A/F	25	9.50	133.27
JAB10/12150	10	150	100	70	17mm A/F	25	10.15	162.04
JAB12/14075	12	75	15	85	19mm A/F	50	8.00	128.93
JAB12/14100	12	100	40	85	19mm A/F	50	10.18	155.97
JAB12/14130	12	130	70	85	19mm A/F	25	12.75	196.52
JAB12/14150	12	150	90	85	19mm A/F	20	14.17	280.38
JAB12/14200	12	200	140	85	19mm A/F	20	18.90	358.86
JAB14/16075	14	75	5	100	24mm A/F	25	12.62	295.89
JAB14/16100	14	100	30	100	24mm A/F	25	15.51	333.91
JAB14/16130	14	130	60	100	24mm A/F	20	19.00	408.59
JAB14/16150	14	150	80	100	24mm A/F	10	21.30	442.89
JAB14/16200	14	200	130	100	24mm A/F	10	27.19	581.92
JAB16/18100*	16	100	20	110	27mm A/F	10	22.00	458.27
JAB16/18150*	16	150	70	110	27mm A/F	10	29.70	534.36
JAB16/18200*	16	200	120	110	27mm A/F	10	37.60	656.36

\* Mechanical Galvanised • Min 40µm



### Pan Head Ankerbolt • Zinc Plated and Clear Passivated • Min 5µm • Torx Drive

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB05/06050PH	5	50	25	35	16	T25	100	1.08	31.03
JAB05/06075PH	5	75	50	35	16	T25	100	1.45	39.38
JAB05/06100PH	5	100	75	35	16	T25	100	1.81	48.07
JAB06/08030PH	6	30	5	35	16	T30	100	1.25	33.14
JAB06/08050PH	6	50	20	40	16	T30	100	1.70	47.02
JAB06/08075PH	6	75	45	40	16	T30	100	2.26	58.17
JAB06/08100PH	6	100	70	40	16	T30	100	2.82	75.11


**Countersunk • Zinc Plated and Clear Passivated • Min 5µm**

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB05/06030CS	5	30	5	35	10.0	T25 Torx	100	0.83	19.75
JAB05/06050CS	5	50	20	40	10.0	T25 Torx	100	0.97	22.50
JAB05/06075CS	5	75	45	40	10.0	T25 Torx	100	1.32	24.56
JAB05/06100CS	5	100	70	40	10.0	T25 Torx	100	1.65	26.88
JAB06/08030CS	6	30	5	35	12.5	T30 Torx	100	0.85	27.14
JAB06/08050CS	6	50	20	40	12.5	T30 Torx	100	1.19	29.82
JAB06/08075CS	6	75	45	40	12.5	T30 Torx	100	1.73	37.56
JAB06/08100CS	6	100	70	40	12.5	T30 Torx	100	2.58	46.95
JAB06/08130CS	6	130	100	40	12.5	T30 Torx	100	2.94	60.36
JAB06/08150CS	6	150	120	40	12.5	T30 Torx	100	3.32	69.06
JAB08/10060CS	8	60	20	55	17.5	T45 Torx	100	2.89	51.66
JAB08/10075CS	8	75	35	55	17.5	T45 Torx	100	3.48	58.85
JAB08/10100CS	8	100	60	55	17.5	T45 Torx	100	4.43	76.16
JAB10/12060CS	10	60	10	70	22	T50 Torx	50	4.58	75.78
JAB10/12075CS	10	75	25	70	22	T50 Torx	50	5.40	84.41
JAB10/12100CS	10	100	50	70	22	T50 Torx	50	6.96	105.79


**Hexagon Flange Head • Mechanical Galvanised • Min 40µm**

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB06/08050G	6	50	20	40	10mm A/F	100	1.49	42.01
JAB06/08075G	6	75	45	40	10mm A/F	100	2.02	54.38
JAB06/08100G	6	100	70	40	10mm A/F	100	2.57	67.26


**Hexagon Head • Mechanical Galvanised • Min 40µm**

JAB08/10060G	8	60	20	55	15mm A/F	100	2.99	54.32
JAB08/10100G	8	100	60	55	15mm A/F	100	4.53	91.13
JAB08/10150G	8	150	110	55	15mm A/F	50	5.48	140.42
JAB10/12060G	10	60	10	70	17mm A/F	50	4.68	84.82
JAB10/12100G	10	100	50	70	17mm A/F	50	7.06	123.22
JAB10/12150G	10	150	100	70	17mm A/F	25	10.15	190.07
JAB12/14100G	12	100	40	85	19mm A/F	50	10.18	182.95
JAB12/14150G	12	150	90	85	19mm A/F	20	14.17	328.88
JAB12/14200G	12	200	140	85	19mm A/F	20	18.90	420.94



## Ankerbolt



An Ankerbolt with an Option 1 European Technical Approval suitable for cracked and non-cracked concrete.



### Option 1 Approved Ankerbolt

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Driver Type	Quantity Per Box	Price £ Per 100
JAB08/10075ETA	8	75	10	75	15mm A/F	100	63.99
JAB08/10100ETA	8	100	35	75	15mm A/F	100	88.32
JAB08/10130ETA	8	130	65	75	15mm A/F	50	120.05
JAB08/10150ETA	8	150	85	75	15mm A/F	50	126.90
JAB10/12100ETA	10	100	25	85	17mm A/F	50	118.30
JAB10/12130ETA	10	130	55	85	17mm A/F	25	150.64
JAB10/12150ETA	10	150	75	85	17mm A/F	25	167.81
JAB12/14100ETA	12	100	5	105	19mm A/F	50	187.90
JAB12/14130ETA	12	130	35	105	19mm A/F	25	227.94
JAB12/14150ETA	12	150	55	105	19mm A/F	20	299.65
JAB12/14200ETA	12	200	105	105	19mm A/F	20	397.50
JAB14/16150ETA	14	150	35	125	24mm A/F	10	455.01



A Bi-Metallic A4/316 Stainless Steel Ankerbolt with Carbon Steel tip with leading threads to cut into the concrete.

### Countersunk Bi-Metal Stainless Steel A4/316

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB06/08050C5SS	6	50	20	40	15	T40	100	1.49	187.43
JAB06/08075C5SS	6	75	45	40	15	T40	100	2.04	241.97
JAB06/08100C5SS	6	100	70	40	15	T40	100	2.6	302.32



A Bi-Metallic A4/316 Stainless Steel Ankerbolt with Carbon Steel tip with leading threads to cut into the concrete.

### Hexagon Flange Head Bi-Metal Stainless Steel A4/316

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB06/08050SS	6	50	20	40	10mm A/F	100	1.54	194.25
JAB06/08075SS	6	75	45	40	10mm A/F	100	2.08	241.97
JAB06/08100SS	6	100	70	40	10mm A/F	100	2.63	301.98
JAB08/10060SS	8	60	20	55	13mm A/F	100	3.27	340.16
JAB08/10075SS	8	75	35	55	13mm A/F	100	3.87	401.93
JAB08/10100SS	8	100	60	55	13mm A/F	100	4.88	502.58
JAB10/12075SS	10	75	25	70	17mm A/F	50	6.44	552.36
JAB10/12100SS	10	100	50	70	17mm A/F	50	7.96	697.92
JAB10/12150SS	10	150	100	70	17mm A/F	25	11.04	1,038.50
JAB12/14100SS	12	100	40	85	19mm A/F	50	11.53	902.44





A self tapping anchor providing a flush internal thread.

### Ankerbolt Drop In • Zinc Plated and Clear Passivated • Min 5µm

Part Number	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread mm	Head Diameter mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JABDBM10	13	32	50	M10	N/A	6mm Hex	100	2.20	100.13



### Ankerbolt Drop In Setting Tool

Part Number	Drive Size	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per Each
JABDBM10ST	1/2"	1	6.50	16.50



### Socket Bolt • Dual Threaded and Single Thread

Part Number	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread mm	Across Flats mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB06/08SOCKET	6	75	50	M8 + M10	17	50	6.42	162.22
JAB06/08SOCM08	6	55	50	M8	13	100	2.20	73.63
JAB06/08SOCM10	6	55	50	M10	13	100	2.00	74.28



### Hook Bolt and Eye Hook • Zinc Plated and Clear Passivated • Min 5µm

Part Number	Anchor Hole Size mm	Anchor Length mm	Max. Fixture Thickness mm	Minimum Hole Depth mm	Eye Diameter mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB06/08050HOOK	6	90	N/A	40	13	50	2.56	146.74
JAB08/10055HOOK	8	90	N/A	45	13	50	4.96	164.76
JAB06/08050EYE	6	90	N/A	40	13	50	2.80	228.76
JAB08/10055EYE	8	90	N/A	45	15	50	5.50	271.05



Torx Driver Bits

Part Number	Quantity Per Pack	Price £ Each
T25	1	2.26
T30	1	2.61
T40	1	2.74
T45	1	3.03
T50	1	3.58



## Sleeve Anchor



A thin walled sleeve anchor suitable for use in most types of concrete or masonry.

### Sleeve Anchor • Hexagon Nut • Zinc Plated and Yellow Passivated • Min 5µm

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLN08040	8	40	5	35	100	1.60	49.19
SLN08065	8	65	30	40	50	2.42	62.83
SLN08085	8	80	45	40	50	3.14	81.73
SLN10050	10	45	5	45	50	3.26	65.80
SLN10075	10	70	30	45	50	4.64	82.14
SLN10100	10	95	55	45	50	6.04	109.52
SLN10125	10	120	80	45	50	6.40	125.17
SLN12060	12	60	15	50	50	6.52	102.05
SLN12075	12	70	20	60	50	6.84	112.46
SLN12100	12	95	50	60	25	8.90	145.52
SLN12125	12	120	65	60	25	10.95	192.79
SLN16065	16	65	10	60	25	14.60	172.62
SLN16110	16	105	50	65	10	15.80	234.19
SLN16150	16	150	90	65	10	20.10	306.81
SLN20080	20	75	15	70	10	21.60	356.80
SLN20110	20	100	45	70	10	27.60	425.61
SLN20150	20	140	85	70	10	36.80	524.99



A thin walled sleeve anchor suitable for use in most types of concrete or masonry.

### Sleeve Anchor • Hexagon Bolt • Zinc Plated and Yellow Passivated • Min 5µm

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLB08045	8	40	2	45	100	1.85	54.60
SLB08070	8	65	25	45	50	2.54	65.44
SLB08090	8	90	45	45	50	3.22	88.44
SLB10045	10	45	5	45	50	3.26	73.01
SLB10055	10	55	15	45	50	3.56	76.14
SLB10080	10	75	30	50	50	4.84	81.75
SLB10100	10	95	50	50	50	6.00	112.03
SLB12065	12	60	5	65	50	5.92	113.27
SLB12080	12	75	20	65	50	7.20	123.98
SLB12100	12	95	40	65	25	8.80	153.06
SLB12125	12	115	65	65	25	10.80	180.80
SLB16075	16	65	5	65	25	10.75	188.03
SLB16110	16	100	40	65	10	16.10	262.89



### Sleeve Anchor • Countersunk Head • Phillips No.3 Drive • Zinc Plated and Yellow Passivated • Min 5µm

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLC08060	8	65	30	40	14	100	1.92	91.82
SLC08085	8	90	50	40	14	50	2.79	104.04
SLC10075	10	80	40	45	16	50	3.70	118.64
SLC10100	10	100	60	45	16	50	5.44	142.87



A thin walled sleeve anchor suitable for use in most types of concrete or masonry.

### Sleeve Anchor • Hexagon Nut • Stainless Steel A4-316

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLSS06060	6	55	25	35	100	1.26	175.73
SLSS08040	8	40	5	40	100	2.31	188.86
SLSS08065	8	65	30	40	50	2.48	233.44
SLSS10050	10	50	10	45	50	3.28	294.81
SLSS10075	10	75	35	45	50	4.62	380.83
SLSS10100	10	95	55	45	50	5.88	479.16
SLSS12060	12	55	10	50	50	5.81	490.11
SLSS12075	12	65	20	60	50	6.88	550.76
SLSS12100	12	95	50	60	25	9.05	694.74



### Sleeve Anchor • Countersunk Head Hex Drive • Stainless Steel A2-304

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLC08045SS	8	45	8	50	12	100	1.62	205.09
SLC08060SS	8	60	18	60	12	100	1.93	244.49
SLC10060SS	10	60	9	60	16	100	3.15	284.70
SLC10080SS	10	80	19	80	16	100	4.20	364.42
SLC12070SS	12	70	10	75	20	100	5.83	526.41
SLC12100SS	12	100	30	100	20	100	7.66	671.34



### Sleeve Anchor • Eye Bolt and Hook Bolt • Zinc Plated and Yellow Passivated • Min 5µm

Part Number	Anchor Hole Size mm	Eye Diameter mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
Eyebolt - SLZE08040	8	8	45	100	2.12	113.90
Hookbolt-SLZH08040	8	11	45	100	2.47	113.90
Forged Eyebolt - SLZE08040F	8	10	45	20	2.12	113.90



### Sleeve Anchor • Eye Bolt • Stainless Steel A2-304

Part Number	Anchor Hole Size mm	Eye Diameter mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLZE08045SS	8	10	50	50	2.60	347.53
SLZE10060SS	10	11	65	50	5.00	589.29



## Drop In Anchor



The drop in anchor is a deformation controlled anchor suitable for use in concrete over C20/25.

### Drop In Anchor • Zinc Plated and Yellow Passivated • Min 5µm

Part Number	Thread Diameter	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
DBM06	M6	8	25	25	10	100	0.84	25.51
DBM08	M8	10	30	30	14	100	1.58	34.02
DBM10	M10	12	40	40	15	50	2.40	55.95
DBM12	M12	15	50	50	20	50	5.92	82.31
DBM16	M16	20	65	65	22	25	11.20	180.17
DBM20	M20	25	80	80	30	25	19.00	445.25



Lipped drop in anchors can be accurately set independent of hole depth and can be used in hollow base material applications.

### Lipped Drop In Anchor • Zinc Plated and Yellow Passivated • Min 5µm

Part Number	Thread Diameter	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
DBM06SH	M6	8	25	25	10	100	0.84	35.85
DBM08SH	M8	10	30	30	14	100	1.58	48.44
DBM10SH	M10	12	30	30	15	50	2.00	54.74
DBM10SHL	M10	12	40	40	15	50	2.40	58.23
DBM12SH	M12	15	50	50	20	50	5.92	117.95
DBM16SH	M16	20	65	65	22	25	11.20	260.14



A deformation controlled anchor suitable for use in concrete over C20/25.



### ETA Approved Drop In Anchor

Part Number	Thread Diameter	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ADBM08	M8	10	30	30	13	100	1.17	47.27
ADBM10	M10	12	40	40	15	50	2.14	77.29
ADBM12	M12	15	50	50	18	50	4.36	122.95
ADBM16	M16	20	65	65	23	25	10.20	242.96



### Drop In Anchor • Stainless Steel, Grade A4-316



Part Number	Thread Diameter	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
DSSM06	M6	8	30	30	11	200	0.82	263.11
DSSM08	M8	10	30	30	13	100	1.60	307.13
DSSM10	M10	12	40	40	15	50	2.38	427.56
DSSM12	M12	15	50	50	19	50	5.96	632.39
DSSM16	M16	20	65	65	25	25	11.80	1,272.08





## Drop In Anchor

### Drop In Anchor Setting Punches

Part Number	Thread Diameter mm	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per Each	Price £ Per Each
DZSP06	-	-	-	-	-	1	0.10	5.01
DZSP08	-	-	-	-	-	1	0.15	5.24
DZSP10	-	-	-	-	-	1	0.16	5.43
DZSP12	-	-	-	-	-	1	0.22	5.95
DZSP16*	-	-	-	-	-	1	0.41	6.87
DZSP20*	-	-	-	-	-	1	0.55	7.51

The correct size setting punch must be used to safely install drop in anchors.

\* Without hand guard

## Forged Hooks & Eyes

### Forged Hook and Eyebolts • Zinc Plated and Clear Passivated • Min 5µm



Hook Bolts

Part Number	Thread Diameter mm	Thread Length mm	Eye Diameter mm	Outside Eye Diameter mm	Quantity Per Box	Price £ Per 100
FHM06	6	50	8	22	50	107.50
FHM08	8	60	10	30	50	167.66
FHM10	10	73	12	36	25	265.81
FHM12	12	90	16	47	10	543.16



Eye Bolts

Part Number	Thread Diameter mm	Thread Length mm	Eye Diameter mm	Outside Eye Diameter mm	Quantity Per Box	Price £ Per 100
FEM06	6	50	10	19	50	107.50
FEM08	8	60	11	23	50	167.66
FEM10	10	73	14	28	25	265.81
FEM12	12	90	16	34	10	543.16

## Scaffold Ring Bolts

Scaffolding ring bolts are used together with M16 drop in anchors or M16 internal threaded sockets for restraining scaffolding.



Part Number	Thread Diameter mm	Eye Diameter mm	Overall Length mm	Quantity Per Box	Ship Wt.kg Per Each	Price £ Per Each
DSRBM16	16	53	210	1	0.60	15.75

## Scaffold Retaining Eyes

### Scaffold Eye



Part Number	Overall Length mm	Thread Diameter mm	Thread Length mm	Eye Internal Diameter mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SRE12120	120	12	60	24	20	17.20	156.32
SRE12160	160	12	60	24	10	20.40	203.37

### Scaffold Eye Plugs



Part Number	Overall Length mm	Drill Diameter mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SRP14100	100	14	20	0.90	45.72



## Shield Anchor



A torque controlled shield anchor suitable for use in concrete and solid brickwork.

### Shield Only • Zinc Plated and Yellow Passivated • Min 5µm

Part Number	Thread Diameter	Shield Hole Size mm	Max Fixture Thickness mm	Shield Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
ASHOM06	M6	12	-	45	50	50	1.18	92.99
ASHOM08	M8	14	-	50	55	50	3.20	120.81
ASHOM10	M10	16	-	60	65	50	4.40	178.47
ASHOM12	M12	20	-	75	85	25	9.16	300.61
ASHOM16	M16	25	-	110	125	10	17.10	586.30



### Shield Only • Stainless Steel Grade A4-316

Part Number	Thread Diameter	Shield Hole Size mm	Max Fixture Thickness mm	Shield Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
PSM06SS	M6	12	-	45	50	25	1.18	653.18
PSM08SS	M8	14	-	50	55	25	3.20	895.00
PSM10SS	M10	16	-	60	65	25	4.40	1,292.25
PSM12SS	M12	20	-	75	85	10	9.16	2,589.72



### Projecting Bolt • Zinc Plated and Yellow Passivated • Min 5µm

Part Number	Thread Diameter	Shield Hole Size mm	Max Fixture Thickness mm	Overall Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
APB0610	M6	12	10	60	50	50	2.58	111.92
APB0625	M6	12	25	75	50	50	2.90	122.23
APB0650	M6	12	50	100	50	50	3.34	141.81
APB0815	M8	14	15	75	55	50	6.38	161.70
APB0840	M8	14	40	100	55	50	7.22	183.91
APB0880	M8	14	80	140	55	25	8.56	190.89
APB1010	M10	16	10	80	65	50	9.90	224.53
APB1030	M10	16	30	100	65	50	10.80	242.26
APB1050	M10	16	50	120	65	25	12.00	259.52
APB1070	M10	16	70	140	65	25	13.40	294.10
APB1215	M12	20	15	100	85	25	19.80	384.74
APB1225	M12	20	25	110	85	25	20.40	424.43
APB1250	M12	20	50	135	85	10	22.24	449.12
APB1270	M12	20	70	155	85	10	23.90	483.86
APB1635	M16	25	35	160	125	10	40.40	836.18



**Loose Bolt** • Zinc Plated and Yellow Passivated • Min 5µm


Part Number	Thread Diameter	Shield Hole Size mm	Max Fixture Thickness mm	Length Under Head mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
ALB0610	M6	12	10	55	50	50	2.36	114.92
ALB0625	M6	12	25	70	50	50	2.80	139.84
ALB0640	M6	12	40	85	50	50	3.20	143.91
ALB0810	M8	14	10	60	55	50	5.78	157.47
ALB0825	M8	14	25	75	55	50	6.20	172.69
ALB0840	M8	14	40	90	55	50	6.46	196.13
ALB1010	M10	16	10	70	65	50	9.44	228.15
ALB1025	M10	16	25	85	65	50	9.96	269.67
ALB1050	M10	16	50	110	65	50	11.14	294.21
ALB1075	M10	16	75	135	65	25	12.90	322.01
ALB1210	M12	20	10	85	85	25	17.84	360.30
ALB1225	M12	20	25	100	85	25	18.40	425.36
ALB1240	M12	20	40	115	85	25	19.16	475.43
ALB1260	M12	20	60	135	85	25	21.28	518.08
ALB1615	M16	25	15	135	125	10	36.30	963.94
ALB1630	M16	25	30	150	125	10	36.60	1,033.33
ALB1660	M16	25	60	180	125	10	42.40	1,238.11

**Eye Bolts** • Zinc Plated and Yellow Passivated • Min 5µm

Part Number	Thread Diameter	Shield Hole Size mm	Eye Diameter mm	Overall Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
AEBM06	M6	12	10	80	25	7.96	188.40
AEBM08	M8	14	11	95	25	8.52	248.25
AEBM10	M10	16	14	115	10	15.62	336.86
AEBM12	M12	20	16	130	10	27.64	642.98

**Hook Bolts** • Zinc Plated and Yellow Passivated • Min 5µm

Part Number	Thread Diameter	Shield Hole Size mm	Eye Diameter mm	Overall Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
AHBM06	M6	12	8	80	25	7.60	188.40
AHBM08	M8	14	10	95	25	8.20	248.25
AHBM10	M10	16	12	115	10	14.50	336.86
AHBM12	M12	20	16	145	10	26.90	642.98



## Heavy Duty Anchor



A torque controlled heavy duty, hex bolt anchor suitable for use in cracked and non-cracked concrete over C20/25.



**Heavy Duty Anchor • Hexagon Bolt • Zinc Plated and Yellow Passivated • Min 5µm**

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JHD0610	10	75	10	65	50	5.50	221.32
JHD0630	10	95	30	65	50	7.50	237.16
JHD0650	10	115	50	65	50	8.30	268.77
JHD0810	12	87	10	80	50	9.90	234.09
JHD0830	12	107	30	80	25	10.50	268.77
JHD0850	12	127	50	80	25	11.70	300.42
JHD1015	15	108	15	95	25	12.50	328.08
JHD1025	15	118	25	95	25	15.50	355.75
JHD1045	15	138	45	95	25	18.00	404.39
JHD1210	18	117	10	105	20	21.50	529.46
JHD1220	18	127	20	105	20	24.50	577.05
JHD1240	18	147	40	105	20	29.50	649.48
JHD1270	18	177	70	105	20	30.50	708.61
JHD1610	24	132	10	130	10	45.50	1,039.32
JHD1620	24	152	20	130	10	52.50	1,117.00
JHD1650	24	182	50	130	10	58.50	1,256.64
JHD2030	28	192	30	160	10	93.33	2,113.88
JHD2060	28	222	60	160	5	107.50	2,318.92



A torque controlled heavy duty, hex nut anchor suitable for use in cracked and non-cracked concrete over C20/25.



**Heavy Duty Anchor • Stud & Nut • Zinc Plated and Yellow Passivated • Min 5µm**

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
NHD0810	12	90	10	80	50	6.60	248.08
NHD0830	12	110	30	80	50	8.00	282.81
NHD0850	12	130	50	80	25	10.00	311.28
NHD1015	15	111	15	95	25	12.80	341.79
NHD1025	15	121	25	95	25	14.00	371.14
NHD1045	15	141	45	95	25	16.00	423.90
NHD1210	18	122	10	105	20	20.50	560.00
NHD1220	18	132	20	105	20	22.00	607.76
NHD1240	18	152	40	105	20	25.50	676.64
NHD1270	18	182	70	105	20	30.50	758.77
NHD1620	24	157	20	130	10	47.00	1,186.26
NHD1650	24	187	50	130	10	55.00	1,322.27





A torque controlled heavy duty anchor with a countersunk hex head drive suitable for use in cracked and non-cracked concrete over C20/25.

## Heavy Duty Anchor



Fire Resistance



European Technical Approval  
Option 1 Cracked Concrete

### Heavy Duty Anchor • Countersunk • Zinc Plated and Yellow Passivated • Min 5µm

Part Number	Anchor Hole Size mm	Thread Diameter mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLSK10/10	10	6	70	10	65	16.5	50	3.70	334.19
SLSK10/25	10	6	85	25	65	16.5	50	4.50	350.81
SLSK10/45	10	6	100	40	65	16.5	50	6.20	369.47
SLSK12/10	12	8	80	10	80	20.5	50	6.40	396.58
SLSK12/25	12	8	95	25	80	20.5	50	7.70	433.77
SLSK12/50	12	8	120	50	80	20.5	25	9.60	461.83
SLSK15/10	15	10	100	10	95	24.5	25	11.00	535.13
SLSK15/25	15	10	110	25	95	24.5	25	12.60	564.37
SLSK15/50	15	10	135	50	95	24.5	25	15.60	620.94
SLSK18/20	18	12	115	20	105	29.5	20	21.00	868.84
SLSK18/40	18	12	135	40	105	29.5	20	25.00	961.03



A torque controlled heavy duty, stainless steel, hex nut anchor suitable for use in cracked and non-cracked concrete over C20/25.



Fire Resistance



European Technical Approval  
Option 1 Cracked Concrete

### Heavy Duty Anchor • Stud & Nut • Stainless Steel A4/316

Part Number	Anchor Hole Size mm	Thread Diameter mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLB12/10SS	12	8	89	10	80	50	6.40	1,004.09
SLB12/30SS	12	8	109	30	80	50	7.70	1,196.92
SLB14/15SS	15	10	110	15	95	25	11.00	1,461.89
SLB14/25SS	15	10	120	25	95	25	12.60	1,553.19
SLB18/20SS	18	12	131	20	105	20	23.00	2,558.30
SLB18/40SS	18	12	151	40	105	20	25.00	2,667.03





## Injection Resin



Pure Epoxy resin is a 3:1 ratio resin with very high load capacities. The colour of the resin is red. Approved for use in contact with potable (drinking) water.



Approval No: 1506530

### Pure Epoxy

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JF375E	Pure Epoxy Resin in Cartridge + 1 Mixer Nozzle	375ml	1/10	0.75	29.17
JF300E	Pure Epoxy Resin in Cartridge + 1 Mixer Nozzle	300ml	1/12	0.70	22.61

Pure Vinylester Resin Styrene Free is a high strength resin suitable for use in concrete, brickwork and most natural stone. Approved for use in contact with potable (drinking) water.



Approval No: 1604527

### Vinylester

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JFV380SF	Vinylester High Load Resin in Cartridge + 1 Mixer Nozzle	410ml	1/12	0.79	25.99
JFV300SF	Vinylester High Load Resin in Cartridge + 1 Mixer Nozzle	300ml	1/12	0.70	19.67



Epoxy Acrylate Styrene Free is suitable for use in concrete, other base materials and in damp conditions.



### Epoxy Acrylate

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JFEA380SF	Grey Styrene Free Epoxy Acrylate + 1 Mixer Nozzle	410ml	1/12	0.79	23.07



**Injection Resin**

Winter Grade Vinylester Styrene Free Resin can be used in temperatures down to -10°C or as a fast cure resin in warmer temperatures. Approved for use in contact with potable (drinking) water.



**Vinylester Fast Cure Winter Grade**



Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JFEA410SFW	Winter Grade Resin Styrene Free Vinylester + 1 Mixer Nozzle	410ml	1/12	0.79	25.99

Polyester Styrene Free Resin is a general purpose resin suitable for brickwork, most natural stone and concrete.



**Polyester Styrene Free**



Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JF380PSF	Grey Styrene Free Polyester + 1 Mixer Nozzle	410ml	1/12	0.79	21.74
JFEA300SF	Grey Styrene Free Polyester + 1 Mixer Nozzle	300ml	1/12	0.69	20.05
JF150P	Grey Styrene Free Polyester + 2 Mixer Nozzle	150ml	1/12	0.42	16.71

Polyester Resin is a general purpose resin suitable for brickwork, most natural stone and concrete.



**Polyester**



Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JF380P	Grey Polyester Resin in Cartridge + 1 Mixer Nozzle	410ml	1/12	0.79	21.12

**Resin Fixing Per Cartridge**

Thread Diameter mm	Hole Size mm	Hole Depth mm	410ml	375ml	300ml	150ml
M8	10	80	78	71	57	25
M10	12	90	52	48	38	17
M12	14	110	34	31	25	11
M16	18	125	22	20	16	7
M20	22	170	11	10	8	3
M24	26	210	7	6	5	2

## Injection Resin Accessories



### Injection Tools

Part Number	Description	Ship Wt. Kg Each	Price £ Each
JT00L380	For any 410ml Cartridge	1.30	42.90
JT00L300	For any 150ml & 300ml Cartridge	1.00	23.65
JT00L150	For any 150ml & 300ml Cartridge	0.60	5.49
JT00L375	For JF375E 375ml Cartridge	1.40	52.25

### Accessories

Part Number	Description	Ship Wt. Kg Each	Price £ Each
JMN130	Mixer Nozzle	1.00	1.54
JMN190	Extension Tube for JMN130	1.00	1.27
JMN150E	Mixer Nozzle for JF375E Pure Epoxy	1.00	1.71

## Injection Resin Accessories

For use with injection resin in hollow bricks and blocks.



### Nylon Sleeve with Stud Alignment Collar

Part Number	Hole Diameter mm	Sleeve Size mm	For Stud Size	Quantity Per Bag	Ship Wt. Kg Box	Price £ Per 100
JNSLM08/12	16	15 x 85	M08-M12	10	0.18	43.23
JNSLM08/12L	16	15 x 130	M08-M12	10	0.18	47.52
JNSLM16	22	20 x 85	M16	10	0.18	49.83

For use with injection resin.  
Can be cut on site to required length.



### Wire Mesh Sleeve

Part Number	Hole Diameter mm	Inside Diameter	For Stud Size	Length mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per Each
JMMSM08	12	8.7	M8	1000	1	6.00	12.05
JMMSM10/12	16	12.5	M10-M12	1000	1	8.00	12.93
JMMSM16	22	18.0	M16	1000	1	10.00	14.85
JMMSM20	26	22.0	M20	1000	1	12.00	15.95

## Hole Cleaning Brushes & Pump



### Cleaning Brushes

Part Number	Hole Diameter mm	Pack Quantity	Price £ Each
CB08	8	1	4.35
CB10	10	1	4.57
CB12	12	1	4.79
CB16	16	1	5.23
CB20	20	1	5.78
CB25	25	1	7.15
CBW30	30	1	9.63
CBFW25	FLAT	1	11.00



### Blow Out Pump

Part Number	Hole Diameter mm	Pack Quantity	Price £ Each
BOP1	10+	1	20.35

## Chemical Anchor Studs



Grade 5.8 Threaded Stud.

**J-Fix Studs • Zinc Plated and Clear Passivated • Min 5µm • Setting Tool Included**

Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08110	M8	110	18	80	10	4.30	110.42
JSTUD10130	M10	130	25	90	10	7.75	130.51
JSTUD12160	M12	160	34	110	10	13.30	171.43
JSTUD16190	M16	190	45	125	10	28.50	289.86
JSTUD20260	M20	260	55	170	10	62.00	667.47
JSTUD24300	M24	300	55	210	5	102.00	1,105.07
JSTUD30380	M30	380	55	280	5	164.00	3,111.30

Grade 5.8 Threaded Stud.  
For use with injection resin.**J-Fix Studs • Plain Ended • Zinc Plated and Clear Passivated • Min 5µm**

Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08150PE	M8	150	80	60	10	4.00	105.49
JSTUD10105PE	M10	105	35	60	10	7.20	120.54
JSTUD10150PE	M10	150	80	60	10	7.70	124.29
JSTUD10200PE	M10	200	130	60	10	11.10	130.00
JSTUD12110PE	M12	110	25	70	10	9.90	112.69
JSTUD12150PE	M12	150	65	70	10	12.70	159.57
JSTUD12200PE	M12	200	115	70	10	16.20	190.07
JSTUD16110PE	M16	110	10	80	10	18.50	248.17
JSTUD16250PE	M16	250	150	80	10	36.70	430.01
JSTUD16350PE	M16	350	250	80	10	49.70	468.88
JSTUD20200PE	M20	200	85	90	10	48.40	512.47
JSTUD20400PE	M20	400	285	90	10	89.20	691.54



Grade 8.8 Threaded Stud.

**J-Fix Studs • High Tensile Grade 8.8 Zinc Plated and Yellow Passivated • Min 5µm • Setting Tool Included**

Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08110HT	M8	110	18	80	10	4.30	119.72
JSTUD10130HT	M10	130	25	90	10	7.75	144.69
JSTUD12160HT	M12	160	34	110	10	13.30	188.61
JSTUD16190HT	M16	190	45	125	10	28.50	335.03
JSTUD20260HT	M20	260	55	170	10	62.00	726.27
JSTUD24300HT	M24	300	55	210	5	102.00	1,228.71
JSTUD30380HT	M30	380	55	280	5	164.00	3,459.55



Grade 5.8 Galvanised Threaded Stud.

**J-Fix Studs • Hot Dipped Galvanised • EN1461 • Setting Tool Included**

Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08110G	M8	110	18	80	10	4.40	224.74
JSTUD10130G	M10	130	25	90	10	7.90	285.03
JSTUD12160G	M12	160	34	110	10	13.50	339.17
JSTUD16190G	M16	190	45	125	10	29.00	514.12
JSTUD20260G	M20	260	55	170	5	63.40	1,044.47
JSTUD24300G	M24	300	55	210	5	104.20	1,615.47

## Chemical Anchor Studs



Grade 70 Stainless Steel Threaded Stud.  
For use with injection resin.

### J-Fix Studs • Stainless Steel Grade A2/304 • Setting Tool Included

Part Number	Thread Diameter	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08110SS	M8	110	18	80	10	4.32	291.52
JSTUD10130SS	M10	130	25	90	10	7.77	423.87
JSTUD12160SS	M12	160	34	110	10	13.30	612.04
JSTUD16190SS	M16	190	45	125	10	28.50	1,115.72
JSTUD20260SS	M20	260	55	170	5	62.00	2,248.78
JSTUD24300SS	M24	300	55	210	5	102.00	3,104.83



Grade 70 Stainless Steel Threaded Stud.  
For use with injection resin.



### J-Fix Studs • Stainless Steel Grade A4/316 • Setting Tool Included

Part Number	Thread Diameter	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08110SSA4	M8	110	18	80	10	4.32	331.82
JSTUD10130SSA4	M10	130	25	90	10	7.77	508.11
JSTUD12160SSA4	M12	160	34	110	10	13.30	788.10
JSTUD16190SSA4	M16	190	45	125	10	28.50	1,493.23
JSTUD20260SSA4	M20	260	55	170	5	62.00	2,696.12
JSTUD24300SSA4	M24	300	55	210	5	102.00	4,382.37



Grade 70 Stainless Steel Threaded Stud.  
For use with injection resin.

### J-Fix Studs • Plain Ended • Stainless Steel Grade A4/316

Part Number	Thread Diameter	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08150PESS	M8	150	80	60	10	4.00	245.91
JSTUD10105PESS	M10	105	35	60	10	7.20	297.28
JSTUD10150PESS	M10	150	80	60	10	7.70	389.41
JSTUD10200PESS	M10	200	130	60	10	11.10	478.65
JSTUD12110PESS	M12	110	25	70	10	9.90	439.86
JSTUD12150PESS	M12	150	65	70	10	12.70	549.36
JSTUD12200PESS	M12	200	115	70	10	16.20	675.68
JSTUD16110PESS	M16	110	10	80	10	18.50	786.59
JSTUD16250PESS	M16	250	150	80	10	36.70	1,475.59
JSTUD16350PESS	M16	350	250	80	10	49.70	1,898.23
JSTUD20200PESS	M20	200	85	90	10	48.40	1,899.80
JSTUD20400PESS	M20	400	285	90	10	89.20	2,953.25

## Glass Capsules



### J-Fix Spin in Capsules • Epoxy Acrylate • Quartz • Improved Loads

Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Hole Diameter mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JCAPSM08	-	80	-	10	80	10	1.20	199.02
JCAPSM10	-	80	-	12	90	10	1.30	211.33
JCAPSM12	-	95	-	14	110	10	2.40	232.80
JCAPSM16	-	95	-	18	125	10	3.30	322.61
JCAPSM20	-	160	-	22	170	10	10.90	464.32
JCAPSM24	-	175	-	26	210	10	14.10	585.60
JCAPSM30	-	230	-	32	280	5	28.20	1,061.37



## Glass Capsules



For use with rebar or flat ended studs.

## J-Fix Hammer in Capsules • Epoxy Acrylate

Part Number	Rebar Nominal Diameter mm	Thread Diameter mm	Capsule Diameter mm	Capsule Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JCAPHM10	10	10	11	90	100	10	1.30	229.37
JCAPHM12	12	12	13	110	110	10	2.40	262.69
JCAPHM16	16	16	17	125	125	10	3.30	354.05
JCAPHM20	20	20	22	175	200	6	10.90	527.07
JCAPHM24	25	24	24	210	250	6	14.10	658.83
JCAPHM30	32	30	33	265	300	6	28.20	1,187.83

## Internal Threaded Sockets



A permanent threaded socket for use with spin in glass capsules or injection resin. Available in either zinc plated carbon steel or stainless steel.

## Internal Threaded Sockets • Zinc Plated • Min 5µm

Part Number	Internal Thread Diameter mm	Internal Thread Length mm	Outside Diameter mm	Hole Diameter mm	Anchor Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ITSM08BZP	M8	30	12	14	90	90	10	4.00	255.51
ITSM10BZP	M10	35	16	18	90	90	10	7.00	314.96
ITSM12BZP	M12	40	20	25	90	90	10	16.00	438.58
ITSM16BZP	M16	40	24	28	125	125	10	29.00	904.72



## Internal Threaded Sockets • Stainless Steel • Grade A2-302

Part Number	Internal Thread Diameter mm	Internal Thread Length mm	Outside Diameter mm	Hole Diameter mm	Anchor Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ITSM08SS	M8	30	12	14	90	90	10	4.00	575.43
ITSM10SS	M10	35	16	18	90	90	10	7.00	819.53
ITSM12SS	M12	40	20	25	90	90	10	16.00	1,128.35
ITSM16SS	M16	40	24	28	125	125	10	29.00	2,213.58



## Internal Threaded Sockets • Stainless Steel • Grade A4-316

Part Number	Internal Thread Diameter mm	Internal Thread Length mm	Outside Diameter mm	Hole Diameter mm	Anchor Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ITSM08SSA4	M8	30	12	14	90	90	10	4.00	769.35
ITSM10SSA4	M10	35	16	18	90	90	10	7.00	1,035.47
ITSM12SSA4	M12	40	20	25	90	90	10	16.00	1,510.18
ITSM16SSA4	M16	40	24	28	125	125	10	29.00	2,922.54

## Internal Threaded Sockets



### Injection Resin Internally Threaded Sockets • Zinc Plated • Min 5µm

Part Number	Internal Thread Diameter mm	Internal Thread Length mm	Outside Diameter mm	Hole Diameter mm	Anchor Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. kg Per 100	Price £ Per 100
INJM06	M6	20	8	10	50	60	10	1.20	156.55
INJM08	M8	25	12	14	80	90	10	4.20	184.53
INJM10	M10	30	14	16	80	90	10	4.60	221.63
INJM12	M12	30	16	18	80	90	10	5.40	320.50

## J-Bond

### J-Bond

Part Number	Description	Quantity	Ship Wt. Kg Each	Price £ Each
JFB3000	3kg Pail	1	3.00	75.80

J-Bond is a general purpose 2 part Epoxy adhesive in a single bucket suitable for bonding almost any building materials together.

**Coverage at 1mm thickness is approximately 0.6m<sup>2</sup> per kg.**



## Rockite

**Caution:** Rockite and Kwixset have very strong expansion properties which generate the high tensile loads that can be achieved and as such their use in hollow bricks or blocks is not recommended.

Rockite and Kwixset are fast setting hydraulic type cement products. When mixed with water they provide a compound that can be used for grouting, anchoring or patching.

**1kg (2.2lb) dry powder weight fills approximately 700 cubic centimeters.**

### Rockite (Interior Grade)

Part Number	Description	Quantity	Ship Wt. Kg Each	Price £ Each
57 9020	0.45kg (1lb) Cartons	1	0.45	6.89
57 9002	2.27kg (5lb) Carton	1	2.27	17.65
57 9003	4.54kg (10lb) Pail	1	4.54	33.72
57 9004	22.7kg (50lb) Carton	1	22.70	122.56
57 9005	22.7kg (50lb) Pail	1	22.70	128.78



### Kwixset (Exterior Grade)

Part Number	Description	Quantity	Ship Wt. Kg Each	Price £ Each
57 9011	11.35kg (25lb) Pail	1	11.35	77.78
57 9012	22.7kg (50lb) Pail	1	22.70	149.74



## Twist Nails and Fixing Bands



A twist nail for fixing timber battens, frames and wall plates to aerated concrete blocks. Can be driven in by hammer or setting tool.

### Aerated Twist Nail • Zinc Plated and Clear Passivated • Min 5µm

Part Number	Shank Diameter mm	Anchor Length mm	Rec.Tensile Load Kn	Max Fixture Thickness mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
ATN08075	8	75	-	20	100	0.92	36.34
ATN08100	8	100	0.15	25	100	1.20	47.36
ATN08125	8	125	0.15	50	100	1.60	53.66
ATN08150	8	150	0.15	75	100	2.00	54.35



### SDS Setting Tool for Aerated Nails

Part Number	Description	Quantity Per Box	Price £ Per Each
ATTOOL	Setting Tool	1	8.93



A 20mm headed twist nail for fixing composite panels to wooden battens.

### Bigtwist Nail • Zinc Plated and Clear Passivated • Min 5µm

Part Number	Shank Diameter mm	Anchor Length mm	Rec.Tensile Load Kn	Max Fixture Thickness mm	Quantity Per Bag/Box	Ship Wt. Kg Per 100	Price £ Per 100
TC08090BG	8	90	0.22	55	25 bag	1.40	43.46
TC08135BG	8	135	0.22	100	25 bag	2.14	54.68
TC08165BG	8	165	0.22	130	25 bag	2.30	60.12
TC08195BG	8	195	0.22	160	25 bag	2.80	70.23
TC08220BG	8	220	0.22	185	25 bag	3.00	80.53
TC08090BX	8	90	0.22	55	500 box	1.40	42.50
TC08135BX	8	135	0.22	100	500 box	2.14	49.76
TC08165BX	8	165	0.22	130	500 box	2.30	54.66
TC08195BX	8	195	0.22	160	300 box	2.80	63.63
TC08220BX	8	220	0.22	185	300 box	3.00	73.75

### Fixing Band

A fixing band for general strapping needs in both straight and round formats. Available in galvanised and A2 stainless steel supplied in rigid plastic dispensers for ease of use.

#### Galvanised Round Perforated



Part Number	Length Metres	Width mm	Thickness mm	Quantity	Ship Wt.kg	Price £ Per Each
FBR1012G	10	12	0.80	1	0.48	3.95
FBR1017G	10	17	0.80	1	0.72	4.95



#### Galvanised Straight Perforated



Part Number	Length Metres	Width mm	Thickness mm	Quantity	Ship Wt.kg	Price £ Per Each
FBS1012G	10	12	0.80	1	0.48	4.95
FBS1019G	10	19	0.80	1	1.10	6.95



#### Stainless Steel A2 Round Perforated



Part Number	Length Metres	Width mm	Thickness mm	Quantity	Ship Wt.kg	Price £ Per Each
FBR1017SS	10	17	0.80	1	0.72	11.75



## Roof Fixings



A helical fixing to secure and sandwich a layer of insulation over the structural roofing timbers.

### Warm Roof Fixings • Stainless Steel A2/304

Part Number	Shank Diameter mm	Anchor Length mm	Max Fixture Thickness mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
WRF06100	6	100	65	100	0.70	35.91
WRF06110	6	110	75	100	0.80	39.17
WRF06115	6	115	80	100	0.83	41.37
WRF06120	6	120	85	100	0.85	43.05
WRF06125	6	125	90	100	0.88	44.73
WRF06130	6	130	95	100	0.92	46.31
WRF06135	6	135	100	100	0.97	47.99
WRF06140	6	140	105	100	1.01	49.67
WRF06145	6	145	110	100	1.05	51.87
WRF06150	6	150	115	100	1.09	53.55
WRF06160	6	160	125	100	1.15	56.81
WRF06170	6	170	135	100	1.22	60.69
WRF06180	6	180	145	100	1.31	63.95
WRF06190	6	190	155	100	1.38	67.83
WRF06195	6	195	160	100	1.40	69.51
WRF06200	6	200	165	100	1.44	71.19
WRF06205	6	205	170	100	1.48	72.77



### Warm Roof Fixings • Setting Tools

Part Number	Description	Price £ Per Each
WRFSDSST	For use with SDS drills on hammer only	135.00
WRFHANST	Hand driven setting tool	42.50

Setting tools are recommended for fixings over 120mm long



**Crack Stitching Bars & Accessories**

**Crack Stitch Twist Starter Kit**

Kit contains 10 lengths of 6mm x 1000mm Bar,  
1 x 3ltr Tub of Grout  
1 x 9.5mm Nozzle  
1 x Crack Stitching Gun  
1 x Mixing Paddle  
1 x Finger Trowel

Part Number	Price £ Each
CSKIT	192.50

**Cementitious Grout**

Cementitious grout for use in crack stitching.

Part Number	Description	Price £ Each
CSGROUT	3 litre tub of grout	65.59



Crack Stitch Twist Starter Kit



Cementitious Grout



Crack Filler

**Crack Filler**

For filling cracked masonry and mortar.

Part Number	Description	Price £ Each
JFCSF310	310ml Crack Filler	17.71



**Stitching Bar • Stainless Steel A2-304**

1 metre bar for use as masonry reinforcement and crack stitching.

Part Number	Description	Quantity Per Box	Price £ Each
CS061000	6mm x 1000mm bar	10	7.26
CS081000	8mm x 1000mm bar	10	10.45



**Stainless Steel Nozzle**

Stainless Steel 9.5mm nozzle for use with pointing gun.

Part Number	Description	Price £ Each
CSN095	9.5mm Stainless Steel Nozzle	19.62



**Pointing Gun**

Part Number	Description	Price £ Each
CSGUN	Crack Stitching Gun	49.04



**Mixing Paddle**

Part Number	Description	Price £ Each
CSMP	Mixing Paddle	6.17



**Finger Trowel**

Part Number	Description	Price £ Each
CSFT10	Finger Trowel	4.66



## Expanding Foam

B2 foam is suitable for use where joints must conform to BS471 (Part 20) DIN4102 (Part 1)

### B2 & B3 Rated Expanding Foam



Part Number	Description	Volume	Quantity Unit/Box	Ship Wt. Kg Each	Price £ Each
JF750B3H	Grade B3 Hand Held Expanding Foam + 1 Nozzle	750ml	1/12	0.84	17.16
JF750B3G	Grade B3 Gun Applied Expanding Foam	750ml	1/12	0.84	17.59
JF750B2H	Grade B2 Hand Held Foam + 1 Nozzle	750ml	1/12	0.84	19.25
JF750B2G	Grade B2 Gun Applied Foam	750ml	1/12	0.84	19.73
JF500C	Polyurethane Cleaner	500ml	1/12	0.50	15.43
JFGUNC	Professional Applicator Gun	-	1	0.70	33.88
JFGUNB	Conventional Applicator Gun	-	1	0.60	24.20

JCP foam is a one part construction foam designed for filling irregular gaps. All foams are supplied with protective gloves included. For B2 Foams to achieve a fire rating approval they must be used in conjunction with a fire rated sealant.



Professional

Conventional



## Fire Stop Expanding Foam

JCP fire stop products can be used where a fire resistance of up to 4 hours is required (according to BS476 part 22).

### Fire Stop Expanding Foam



Part Number	Description	Volume	Quantity Unit/Box	Ship Wt. Kg Each	Price £ Each
JF750B1H	Grade B1 Hand Held Expanding Foam + 1 Nozzle	750ml	1/12	0.84	24.63
JF750B1G	Grade B1 Gun Applied Expanding Foam	750ml	1/12	0.84	25.62



**Silicone**

**General Purpose Silicone**

JCP Silicone is a high quality, low modulus, one component sealant.

Part Number	Description	Volume ml	Quantity Unit/Box	Ship Wt. Kg Each	Price £ Each
JFSILCL	Clear	300	1/25	0.34	6.79
JFSILWH	White	300	1/25	0.34	6.79
JFSILBR	Brown	300	1/25	0.34	6.79
JFSILBL	Black	300	1/25	0.34	6.79



**Fire Stop Sealant**

**Intumescent and Acoustic Mastic**

Part Number	Description	Volume ml	Quantity Unit/Box	Ship Wt. Kg Each	Price £ Each
JFIREMAS	Intumescent & Acoustic Mastic	310	1/12	0.34	6.79



## Nylon Products



A nylon plug with a zinc plated or stainless steel hammer in screw suitable for fixing into concrete or masonry.

### Hammer Screw • Drive Screw Zinc Plated and Yellow Passivated

Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max.Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NHS05030	5	30	5	30	100	0.35	13.28
NHS05050	5	50	25	30	100	0.40	15.77
NHS06040	6	40	10	35	100	0.47	16.03
NHS06050	6	50	20	35	100	0.55	18.28
NHS06060	6	60	30	35	100	0.63	20.38
NHS06070	6	70	40	35	100	0.83	22.42
NHS08060	8	60	20	45	100	1.01	30.44
NHS08080	8	80	40	45	100	1.26	32.92
NHS08100	8	100	60	45	50	1.56	42.85
NHS08120	8	120	80	45	50	1.89	50.73
NHS08140	8	140	100	45	50	2.22	68.88



A nylon plug with a large diameter head, zinc plated hammer in screw suitable for fixing into concrete or masonry.

### Flange Head Hammer Screw

Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max.Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NHS06040FH	6	40	10	35	13	100	0.47	15.71



### Hammer Screw • Drive Screw Stainless Steel A2-304

Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max.Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NHS05030SS	5	30	5	30	200	0.35	33.92
NHS06040SS	6	40	10	35	200	0.47	43.75
NHS06060SS	6	60	30	35	100	0.63	52.31
NHS06070SS	6	70	40	35	100	0.74	61.51
NHS08060SS	8	60	20	45	100	1.01	73.40
NHS08080SS	8	80	40	45	100	1.26	95.43
NHS08100SS	8	100	60	45	50	1.56	117.31

### C20/25 Concrete



A mushroom head, nylon expansion plug which gives a flush finish with no metallic parts.

### Nylon Nail Plug

Part Number	Anchor Hole Size mm	Anchor Length mm	Max.Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Box Quantity	Ship Wt. Kg Per 100	Price £ Per 100
NNP06040	6	40	7	50	13	100	0.35	11.26



### Window Frame Anchor • For use with PVC Frames (available while stocks last)

Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max.Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NWFA08100	8	100	50	55	50	1.63	40.44
NWFA08120	8	120	70	55	50	1.98	47.82
NWFA08140	8	140	90	55	50	2.34	54.85
NWFA10100	10	100	50	65	50	2.39	50.92
NWFA10140	10	140	90	65	50	3.49	71.53
NWFA10165	10	165	115	65	50	4.12	90.06

## Frame Fixings



A nylon plug with a zinc plated screw for fixing into concrete or masonry.

### Nylon Frame Fixing • Drive Screw Zinc Plated and Yellow Passivated

Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NFF08060	8	60	20	45	100	1.24	35.50
NFF08080	8	80	40	45	100	1.56	40.07
NFF08100	8	100	60	45	100	1.70	44.86
NFF08120	8	120	80	45	100	1.89	59.01
NFF10080	10	80	35	50	100	2.40	60.53
NFF10100	10	100	55	50	100	3.44	63.58
NFF10120	10	120	75	50	100	3.80	75.47
NFF10140	10	140	95	50	100	4.36	87.10
NFF10160	10	160	115	50	100	5.16	115.49

#### C20/25 Concrete



A nylon frame fixing with a European Technical Approval for multiple fixings for non-structural applications. Countersunk screw with a Torx drive, 8mm T30 Drive, 10mm T40 Drive.



### Countersunk Nylon Frame Fixing • European Technical Approval to ETAG020-01

Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NFF08080ETA	8	80	10	90	100	1.83	40.75
NFF08100ETA	8	100	30	90	100	2.28	47.10
NFF08120ETA	8	120	50	90	100	2.76	58.85
NFF08140ETA	8	140	70	90	50	3.24	78.46
NFF10080ETA	10	80	10	90	50	2.47	62.26
NFF10100ETA	10	100	30	90	50	3.14	65.56
NFF10120ETA	10	120	50	90	50	3.79	79.93
NFF10140ETA	10	140	70	90	50	4.43	92.55
NFF10160ETA	10	160	90	90	50	5.06	116.22



A nylon frame fixing with a European Technical Approval for multiple fixings for non-structural applications. Hexagonal Head Screw.



### Hexagonal Head Nylon Frame Fixing • European Technical Approval to ETAG020-01

NFF08080ETAH	8	80	10	90	100	2.10	42.12
NFF08100ETAH	8	100	30	90	100	2.57	51.78
NFF08120ETAH	8	120	50	90	100	3.06	66.40
NFF08140ETAH	8	140	70	90	50	3.44	88.77
NFF10080ETAH	10	80	10	90	50	3.08	58.49
NFF10100ETAH	10	100	30	90	50	3.75	74.63
NFF10120ETAH	10	120	50	90	50	4.43	80.65
NFF10140ETAH	10	140	70	90	50	5.32	101.06
NFF10160ETAH	10	160	90	90	50	5.71	117.69



A nylon frame fixing with a European Technical Approval for multiple fixings for non-structural applications. A4 Stainless Steel Countersunk screw with a Torx drive, 8mm T30 Drive, 10mm T40 Drive.



### Stainless Steel Countersunk Nylon Frame Fixing • European Technical Approval to ETAG020-01

NFF08080ETASS	8	80	10	90	100	1.83	147.97
NFF08100ETASS	8	100	30	90	100	2.29	175.98
NFF08120ETASS	8	120	50	90	100	2.80	206.93
NFF08140ETASS	8	140	70	90	50	3.25	283.49
NFF10080ETASS	10	80	10	90	50	2.59	205.40
NFF10100ETASS	10	100	30	90	50	3.25	234.14
NFF10120ETASS	10	120	50	90	50	3.85	266.60
NFF10140ETASS	10	140	70	90	50	4.48	336.24
NFF10160ETASS	10	160	90	90	50	5.02	386.42

## Plug Range

A mushroom head push in fixing with no expansion forces. Grips the hole with flexible wings.

### Push Plug



Part Number	Anchor Hole Size mm	Anchor Length mm	Max.Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
PP06035	6	35	5	45	13	100	0.10	9.82

### Nylon Wall Plugs • Suitable for Solid Base Materials



Part Number	Anchor Hole Size mm	Plug Length mm	Wood Screw Gauge No mm	Wood Screw Size mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NP05	5	25	4-6	2.5-3.5	30	100	0.04	4.26
NP06	6	30	6-10	3.5-5.0	35	100	0.08	5.71
NP07	7	30	8-12	4.0-5.5	35	100	0.12	7.11
NP08	8	40	10-14	5.0-6.0	45	100	0.15	8.27
NP10	10	50	14-18	6.0-8.0	55	50	0.29	16.25
NP12	12	60	18-24	8.0-10.0	70	25	0.52	30.27
NP14	14	70	24-32	10.0-12.0	80	20	0.74	44.86

### Universal Plugs • Suitable for Hollow or Solid Base Materials



NUP06035	6	35	6-8	3.5-4.0	40	200	0.04	12.89
NUP08050	8	50	10-12	4.5-5.5	55	100	0.12	18.86
NUP10060	10	61	12-14	5.5-6.0	65	50	0.15	21.96

### JCP Standard • Plastic Plugs (Sold in outers of 1,000)



Part Number	Colour	Drill Diameter mm	Length mm	Wood Screw Gauge No	Metric Screw Size mm	Minimum Hole Depth	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 1000
AYP	Yellow	5	22	4-8	2.5-4	30	100	0.40	17.81
ARP	Red	6	30	6-10	3.5-5	40	100	0.64	18.82
ABP	Brown	7	37	10-14	5-6	45	100	1.12	23.18

### JCP Premium • Plastic Plugs (Sold in outers of 1,000)



JCPRED	Red	6	37	6-10	3.5-5	45	100	1.05	21.66
JCPBROWN	Brown	7	37	10-14	5-6	45	100	1.35	24.86

A 4 segment expansion plug expanded by using a wood screw for light duty fixing in to concrete, masonry or aerated concrete blocks.

### Metal Expansion Plug



Part Number	Drill Diameter mm	Plug Length mm	Screw Size mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MP05030	5	30	4.5	40	100	0.20	11.49
MP06032	6	32	4.5-5.0	40	100	0.20	12.42
MP08038	8	38	5.0-6.0	50	100	0.60	18.31
MP08060	8	60	5.0-6.0	70	50	1.00	25.35



### Handyplug and Screw Tubs

Part Number	Anchor Hole Size mm	Anchor Length mm	Max. Fixture Thickness mm	Minimum Hole Depth mm	Screw Size mm	Quantity Per Tub	Ship Wt. Kg Per 100	Price £ Per Each
HP06045	6	45	5	60	6x45	200+200	1.06	13.15
HP08052	8	52	5	70	8x52	125+125	0.96	13.15



## Concrete Screws



A countersunk self tapping screw, zinc plated and yellow passivated, suitable for use in concrete, concrete blocks and masonry. A T30 drive bit supplied in each box of countersunk only.

### Concrete Screw • Includes White Cover Cap

Part Number	Drill Diameter mm	Screw Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg per 100	Price £ Per 1000
CS75040	6	40	-	45	100	1.00	229.80
CS75060	6	60	20	45	100	1.45	262.80
CS75080	6	80	40	45	100	1.72	344.70
CS75100	6	100	60	45	100	2.53	383.10
CS75120	6	120	80	45	100	2.93	525.20
CS75150	6	150	110	45	100	3.16	634.70
CS75180	6	180	140	45	100	3.78	1,171.00

C20/25 Concrete



### Concrete Screw • Cylindrical Head • Hex Head Drive • 4mm A/F

CS75060CH	6	60	20	45	100	1.28	283.00
CS75080CH	6	80	40	45	100	1.69	375.40
CS75100CH	6	100	60	45	100	2.10	446.40
CS75120CH	6	120	80	45	100	2.50	576.30
CS75150CH	6	150	110	45	100	3.10	866.30
CS75180CH	6	180	140	45	100	3.70	1,195.40
CS75210CH	6	210	170	45	100	4.31	1,735.40

C20/25 Concrete

## Flange Clips



### Vertical Flange Clip

A high strength clip for fixing suspended wire to steel profiles.

Part Number	Size mm	Min Purlin Gauge mm	Max Purlin Gauge mm	Height mm	Width mm	Quantity Per Box	Ship Wt. Kg per 100	Price £ Per 100
VFC1	20 x 42	1.60	2.50	42.00	20.00	100	0.82	14.95



### Angle Bracket

A mild steel angle bracket for a variety of applications.

Part Number	Size mm	Width mm	Hole Diameter mm	Thickness mm	Quantity Per Box	Ship Wt. Kg per 100	Price £ Per 100
AB2020	20 x 20	17.00	4.70	1.20	100	0.51	6.95

## Cavity Fixings



JJP15



JPN10



JJP15A

### J-Plug • Plasterboard Fixing • C/W Screw

Part Number	Screw Thread Diameter mm	Screw Length mm	Max. Fixture Thickness mm	Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
JJP15A	4.5	35	15	32	100	0.50	38.46
JJP30A	4.5	50	30	32	100	0.65	40.78
JPN10	4.5	30	10	29	100	0.20	33.57
JJP15	4.5	35	15	37	100	0.50	49.75
JJP30	4.5	50	30	37	100	0.60	50.66



### J-Plug Plasterboard Kit

Part Number	Description	Price £ Each
JJP15ACASE	200 JJP15A Fixings C/W Screws and Screwdriver	67.57



### Road Fixing Kit

Part Number	Description	Price £ Each
RFK12125	4 x M12 x 125 Ankernuts C/W M12 x 160 Set Bolt & Washer	26.09



A synthetic rubber sleeve with brass threaded insert suitable for use in hollow materials and occasional use in solid materials.

### Ankernut

Part Number	Thread Diameter mm	Hole Diameter mm	Wall Thickness mm	Overall Length mm	Flange Thickness mm	Flange Diameter mm	Rec. Tightening Torque Nm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
LNN03024	3	8	2.0-15.0	24	1.0	11.0	1	50	0.17	71.44
LNN04011	4	8	0.4-2.0	13	1.0	11.0	1	50	0.19	59.06
LNN04024	4	8	2.0-15.0	25	1.0	11.0	1	50	0.30	71.40
LNN05015	5	10	0.4-4.0	14	1.0	13.0	1.8	50	0.24	62.38
LNN05025	5	10	8.0-16.0	25	1.3	14.0	1.8	50	0.36	64.41
LNN05040	5	10	20.0-30.0	40	1.3	14.0	1.8	50	0.40	71.89
LNN06015	6	13	0.4-3.0	15	1.3	16.0	4	50	0.42	79.37
LNN06025	6	13	6.0-12.0	25	1.3	16.0	4	50	0.58	88.28
LNN06035	6	13	12.0-25.0	35	1.3	16.0	4	50	0.78	89.73
LNN06050	6	13	25.0-40.0	50	1.3	16.0	4	50	0.85	104.54
LNN08025	8	18	4.0-10.0	25	1.3	22.0	8	50	1.12	139.51
LNN08050	8	18	25.0-35.0	50	1.6	20.0	8	50	1.88	168.24
LNN10055	10	20	25.0-35.0	55	1.3	22.5	10	25	2.28	195.86
LNN12075	12	24	35.0-45.0	75	1.3	27.0	15	20	4.00	320.77
LNN12125	12	24	35.0-45.0	125	1.3	27.0	15	20	7.50	490.34

## Cavity Fixings

## Rosett Cavity Fixing • Torx 25 Drive



Part Number	Screw Length mm	Wall Thickness mm	Max. Fixture Thickness mm	Hole Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
BR05055	55	9-18	15	10	25	1.17	59.47
BR05080	85	9-18	40	10	25	1.49	64.24
RR05065	65	18-30	12	10	25	1.35	60.36
RR05090	90	18-30	38	10	25	1.66	67.57
BRHOOK	-	9-18	-	10	25	1.55	99.50
RRHOOK	-	18-30	-	10	25	1.78	99.75



## Hollow Wall Anchor • Zinc Plated and Yellow Passivated

Part Number	Screw Size mm	Wall Thickness mm	Max. Fixture Thickness mm	Hole Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
LHWA04025	M4 X 25	0-4	10	7	100	0.46	40.23
LHWA04045	M4 X 45	8-13	15	7	100	0.75	44.37
LHWA04050	M4 X 50	16-20	15	7	100	0.86	46.90
LHWA04065	M4 X 65	22-27	30	7	100	0.96	65.97
LHWA05045	M5 X 45	5-10	15	9	100	1.35	63.47
LHWA05060	M5 X 60	5-13	23	9	50	1.68	70.11
LHWA05070	M5 X 70	17-25	23	9	50	1.80	83.22
LHWA06060	M6 X 60	7-13	23	10	50	2.22	90.11
LHWA06070	M6 X 70	16-24	24	10	50	2.68	98.62

## Hollow Wall Anchor Setting Tool

Part Number	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per Each
LHWAST Hand Setting Tool	1	0.45	25.20



## Spring Toggles • Complete with Screws • Zinc Plated and Yellow Passivated

Part Number	Thread Diameter mm	Screw Length mm	Wall & Fixture Thickness mm	Cavity Depth mm	Hole Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
LST03050	3	50	30	20	11	100	0.52	38.36
LST05050	5	50	20	30	14	100	1.27	41.87
LST05075	5	75	45	30	14	100	1.62	47.38
LST05100	5	100	70	30	14	100	1.88	56.35
LST06075	6	75	45	30	18	100	2.58	63.12

## Spring Toggles • Wings Only • Zinc Plated and Yellow Passivated

LSTM03	3	-	-	20	11	100	0.34	24.75
LSTM05	5	-	-	30	14	100	0.63	29.39
LSTM06	6	-	-	30	18	100	0.97	40.63
LSTM08	8	-	-	40	22	50	1.66	90.29
LSTM10	10	-	-	40	25	50	2.64	108.34

## Plastic Toggles

Part Number	Wood Screw Size mm	Wood Screw Gauge mm	Wall Thickness mm	Minimum Cavity Depth mm	Hole Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NT10	4.5	8	4-12	30	10	100	0.23	18.93
NT12	4.5	8	15-19	35	10	100	0.25	20.73
NT16	4.5	8	24-28	40	10	100	0.25	21.56



## Nail In Anchor



### Nail In Anchor • Metal

Hammer in fixing available in Steel and Zinc Alloy, suitable for use in concrete, masonry and some natural stone.

Part Number	Anchor Hole Size mm	Total Anchor Length mm	Max.Fixture Thickness mm	Flange Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MDA06040	6	40	5	15	100	1.40	40.55
MDA06065	6	65	30	15	100	1.60	49.56



### Nail In Anchor • Alloy

LANI06030	6	30	10	13	100	0.85	36.04
LANI06040	6	40	20	13	100	1.10	37.33
LANI06050	6	50	30	13	100	1.24	48.91



### Nail In Anchor • Steel

MNI06030	6	30	10	13	100	0.85	36.04
MNI06040	6	40	20	13	100	1.10	37.97
MNI06050	6	50	30	13	100	1.24	50.85

## Aerated Concrete Anchors



A triangular, 3 way expansion plug suitable for use in aerated concrete with woodscrews and coach screws.

### Aerated Concrete Plug

Part Number	Drill Diameter mm	Minimum Hole Depth mm	Screw Diameter mm	Screw Gauge	Plug Length mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
ACP10	10	65	4.5-6.0	8-12	55	25	0.57	30.67
ACP12	12	70	7.0-8.0	14-18	60	20	0.85	43.32
ACP14	14	90	10	-	75	10	1.55	55.05

## Plastic Headed Nails

An A4/316 stainless steel nail, ring shanked with HDPE impact resistant poly head. UV Factor 5 stabilised. Available with white or black heads.



Part Number	Shank Length mm	Shank Diameter mm	Head Colour	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
POLY030WH	30	2.00	White	250	0.22	8.03
POLY040WH	40	2.00	White	250	0.29	9.18
POLY050WH	50	2.65	White	100	0.25	17.27
POLY065WH	65	3.35	White	100	0.48	25.99
POLY030BL	30	2.00	Black	250	0.22	8.49
POLY040BL	40	2.00	Black	250	0.29	9.64
POLY050BL	50	2.65	Black	100	0.25	18.42
POLY065BL	65	3.35	Black	100	0.48	26.85

## Masonry Nails



## Masonry Nails

Part Number	Length	Shank Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
<b>LIGHT SHANK</b>					
AMNL025	25	2.5	100	0.11	3.27
AMNL030	30	2.5	100	0.13	3.46
AMNL040	40	2.5	100	0.18	4.10
AMNL050	50	2.5	100	0.20	4.63
AMNL060	60	2.5	100	0.24	5.20
<b>MEDIUM SHANK</b>					
AMNM025	25	3.0	100	0.15	3.99
AMNM030	30	3.0	100	0.17	4.16
AMNM040	40	3.0	100	0.25	4.79
AMNM050	50	3.0	100	0.29	5.49
AMNM060	60	3.0	100	0.37	6.20
<b>HEAVY SHANK</b>					
AMNH050	50	3.5	100	0.40	7.84
AMNH060	60	3.5	100	0.51	8.95
AMNH075	75	3.5	100	0.58	9.99
AMNH090	90	3.5	100	0.65	11.89
AMNH100	100	3.5	100	0.81	12.28



## Masonry Nails with 8mm diameter washer

Part Number	Length	Shank Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
AMNL025MP	25	2.5	200	0.13	8.85
AMNL030MP	30	2.5	200	0.15	9.65

## Coach Screws &amp; Plugs



## Coach screw and plug sets c/w washer

Part Number	Screw Size mm	Plug Size mm	Anchor Hole Diameter	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
CSP06060	6 x 60	8	8	50	1.54	28.81
CSP06080	6 x 80	8	8	50	1.72	32.98
CSP08100	8 x 100	10	10	50	2.13	55.98
CSP08120	8 x 120	10	10	50	2.31	62.90

## Sanitary Fixings



## Basin Fixing

Part Number	Screw Size mm	Plug Size mm	Anchor Hole Diameter	Individual Quantity Per Box	Ship Wt. Kg Per 100	Individual Price £ Per 100	Price £ Per Bag of 2
NBFS10140	M10 x 140	14 x 70	14	10	19.00	136.00	2.72



## W.C. Fixing

Part Number	Screw Size mm	Plug Size mm	Anchor Hole Diameter	Individual Quantity Per Box	Ship Wt. Kg Per 100	Individual Price £ Per 100	Price £ Per Bag of 2
NWCW06070	6.0 x 70	8 x 40	8	50	3.40	90.06	1.80 (White)
NWCC06070	6.0 x 70	8 x 40	8	50	3.40	90.06	1.80 (Chrome)



## Drivefast Gas Nails


### Drivefast Gas Nailer DF90

Gas nailer suitable for use with Drivefast Gas and Nails. Tool supplied complete with carry case, charger, 2 batteries and safety goggles.

Part Number	Description	Price £ Each
DF90	Gas Nailer	525.00
SP90105	7.2v Battery	20.50
SP90114	Battery Charger	19.25
DFLO114	Lubricating Oil 114ml	7.15
DFCL450	Cleaning Spray 450ml	3.24



34° Angled Nails and gas for timber to timer fixing suitable for use in Drivefast DF90, IM350, NR90GC2, GN900S, WW90CH, GS690CH, GT90CH & D90S. 1 Fuel Cell per 1000 nails.

 CE Marked in accordance with BSEN14592

### Clipped Head Nails + Fuel Cell Pack

Part Number	Nail Length mm	Shank Diameter mm	Description	Quantity Per Box	Ship Wt. Kg Per Box	Price £ Per Box
IM35051RB	51	2.8	Ring Bright	2,200	10.50	53.65
IM35063RB	63	2.8	Ring Bright	2,200	12.10	56.13
IM35075RB	75	3.1	Ring Bright	2,200	12.60	72.20
IM35051EG	51	2.8	Ring Electro Galv	2,200	10.50	61.14
IM35063EG	63	2.8	Ring Electro Galv	2,200	12.10	67.62
IM35075EG	75	3.1	Ring Electro Galv	2,200	12.60	84.73
IM35063RG	63	2.8	Ring Hot Dip Galv	2,200	12.10	83.97
IM35075RG	75	3.1	Ring Hot Dip Galv	2,200	12.60	93.36
IM35090SB	90	3.1	Smooth Bright	2,200	12.60	71.89
IM35090EG	90	3.1	Smooth Electro Galv	2,200	12.60	90.11
IM35090SG	90	3.1	Screwed Electro Galv	2,200	12.60	99.58

### Stainless Steel Ringed Clipped Head Nails + Fuel Cell Pack

Part Number	Nail Length mm	Shank Diameter mm	Description	Quantity Per Box	Ship Wt. Kg Per Box	Price £ Per Box
IM35051SS	51	2.8	Stainless Steel	1000	4.75	120.98
IM35063SS	63	2.8	Stainless Steel	1000	4.80	136.02
IM35080SS	80	3.1	Stainless Steel	1000	5.75	176.58
IM35090SS	90	3.1	Stainless Steel	1000	6.00	201.80



## Handi Pack Drivefast

Drivefast nails and gas in packs of 1000 nails plus one fuel cell.

### Clipped Head Nails + Fuel Cell Pack

Part Number	Nail Length mm	Shank Diameter mm	Description	Quantity Per Box	Ship Wt. Kg Per Box	Price £ Per Box
HAN51RB	51	2.8	Ring Bright	1000	4.75	28.94
HAN51EG	51	2.8	Ring Electro Galv	1000	4.75	32.94
HAN63RB	63	2.8	Ring Bright	1000	4.75	30.27
HAN63EG	63	2.8	Ring Electro Galv	1000	4.75	36.40
HAN75RB	75	3.1	Ring Bright	1000	6.00	38.92
HAN75EG	75	3.1	Ring Electro Galv	1000	6.00	45.59
HAN90SB	90	3.1	Smooth Bright	1000	6.00	38.72
HAN90SG	90	3.1	Screwed Electro Galv	1000	6.00	53.59
HAN90EG	90	3.1	Smooth Electro Galv	1000	6.00	48.52

## Brad Nails & Gas



### Brad Nails + Fuel Cell Pack

16 gauge straight brads for use in IM250, NT65GS & DC616KB.  
1 Fuel Cell per 1000 nails.

### 16 Gauge Straight Brads

Part Number	Nail Length mm	Shank Diameter mm	Description	Quantity Per Outer Box	Quantity Per Inner Box	Ship Wt. Kg Per Box	Price £ Per Box
IM25038G	38	F16	IM250 Galv Brad	8000	2000	5.00	35.65
IM25050G	50	F16	IM250 Galv Brad	8000	2000	7.00	39.76
IM25064G	64	F16	IM250 Galv Brad	8000	2000	8.00	42.64

### Stainless Steel Brad Nails + Fuel Cell Pack

Part Number	Nail Length mm	Shank Diameter mm	Description	Quantity Per Box	Ship Wt. Kg Per Box	Price £ Per Box
IM25038SS	38	F16	Stainless Steel	2000	5.00	104.68
IM25050SS	50	F16	Stainless Steel	2000	7.00	134.01

### 16 Gauge Angled Brads

Part Number	Nail Length mm	Shank Diameter mm	Description	Quantity Per Outer Box	Quantity Per Inner Box	Ship Wt. Kg Per Box	Price £ Per Box
IM25038A	38	F16	Angled Brad	8000	2000	5.00	34.61
IM25050A	50	F16	Angled Brad	8000	2000	7.00	37.37

## Drivefast Gas Only

Part Number	Description	Quantity Per Box	Price £ Each
IMGAS250	To suit IM250/IM250A	10	15.00
IMGAS350	To suit IM350	10	15.00



## Shot Fired Pins



Metal Washered Pins suitable for PA97

### Metal Washered Pins

Part Number	Shank Diameter mm	Shank Length mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
VMW16	3.7	16	100	0.25	20.05
VMW19	3.7	19	100	0.28	21.10
VMW22	3.7	22	100	0.31	22.10
VMW27	3.7	27	100	0.40	22.25
VMW32	3.7	32	100	0.46	23.10
VMW37	3.7	37	100	0.48	24.30
VMW42	3.7	42	100	0.54	25.30
VMW47	3.7	47	100	0.58	26.32
VMW52	3.7	52	100	0.66	27.71
VMW57	3.7	57	100	0.67	28.73
VMW62	3.7	62	100	0.68	29.53
VMW72	3.7	72	100	0.77	32.74
VMW82	3.7	82	100	0.99	37.97
VMW97	3.7	97	100	1.21	40.99



Plastic Washered Pins suitable for Ramset P.A. Tools, Spit P200 and other 8mm Cartridge tools

### Plastic Washered Pins

Part Number	Shank Diameter mm	Shank Length mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
VPW16	3.8	16	100	0.17	19.48
VPW19	3.8	19	100	0.20	19.89
VPW22	3.8	22	100	0.22	20.48
VPW27	3.8	27	100	0.27	21.69
VPW32	3.8	32	100	0.32	22.89
VPW37	3.8	37	100	0.40	23.51
VPW42	3.8	42	100	0.42	25.12
VPW47	3.8	47	100	0.46	25.92
VPW52	3.8	52	100	0.52	27.32
VPW57	3.8	57	100	0.59	28.53
VPW62	3.8	62	100	0.66	29.12
VPW72	3.8	72	100	0.76	31.53



Magazine Pins suitable for 8mm Magazine Cartridge Tools

### Magazine Pins

Part Number	Shank Diameter mm	Shank Length mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
VSN19	3.8	19	100	0.25	23.68
VSN22	3.8	22	100	0.27	24.15
VSN27	3.8	27	100	0.32	23.61
VSN32	3.8	32	100	0.37	24.10
VSN37	3.8	37	100	0.45	25.26
VSN42	3.8	42	100	0.47	27.15
VSN47	3.8	47	100	0.51	28.31
VSN52	3.8	52	100	0.57	29.87
VSN57	3.8	57	100	0.64	35.51
VSN62	3.8	62	100	0.66	37.78
VSN72	3.8	72	100	0.81	39.31

## Handi Pack Drivefast

Suspension Clip suitable for 8mm Cartridge Tools

## Ceiling Hanger

Part Number	Shank Diameter mm	Shank Length mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
VCH32	3.8	32	100	0.64	46.78



## Cartridge Tool

Strip Feed Tool with power adjuster suitable for 12mm metal washered drive pins up to 97mm long. (82mm &amp; 97mm pins require pre-driving).

## PA97

Part Number	Description	Quantity Per Unit	Ship Wt. Kg Each	Price £ Each
PA97KIT	Strip Feed Cartridge Tool C/W Kit in Toolbox	1	4.90	585.00


 CE Marked in accordance with BSEN15895

## Tool Kit PA97

Part Number	Description	Quantity Per Unit	Price £ Each
SG	Safety Goggles	1	4.25
DFL0114	Lubricating Spray	1	7.15
CBW30	30mm Round Wire Brush	1	9.63
CB08	8mm Round Nylon Brush	1	4.35
CBFW25	Flat Wire Brush	1	11.00
SP703	Piston	1	21.06
SP735	Stop Ring	1	5.22
SP757	Retaining Ring	1	1.21
SP738	Circlip	1	1.00
SP771	Spall Shield	1	7.64

## Cartridge Tool



To suit PA97 and most other strip feed tools.

Part Number	Colour	Strength	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
V3LVS27G	Green	Low	100	0.14	16.75
V4LVS27Y	Yellow	Low/Medium	100	0.14	16.75
V6REDLVS27	Red	Medium/High	100	0.14	16.75
V7BLKLVS27	Black	Extra High	100	0.14	18.50



## Self Drilling Screws



### Metalfix • Zinc Plated Min 8µm Steel to Steel without Washer

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFL55019	5.5	19	3	1.2-3.0	4	-	100	0.38	15.01
MFL55025	5.5	25	3	1.2-3.0	10	-	100	0.56	15.37
MFL55032	5.5	32	3	1.2-3.0	17	-	100	0.65	15.81
MFL55038	5.5	38	3	1.2-3.0	23	-	100	0.74	17.87
MFL55050	5.5	50	3	1.2-3.0	35	-	100	0.90	19.15
MFH55022	5.5	22	4	3.0-6.0	5	-	100	0.52	24.07
MFH55032	5.5	32	5	4.0-12.5	5	-	100	0.65	28.43
MFH55040	5.5	40	5	4.0-12.5	13	-	100	0.76	30.19
MFH55050	5.5	50	5	4.0-12.5	23	-	100	0.90	36.63
MFH55060	5.5	60	5	4.0-12.5	33	-	100	1.04	41.68
MFH55070	5.5	70	5	4.0-12.5	43	-	100	1.18	45.17
MFH55080	5.5	80	5	4.0-12.5	53	-	100	1.32	51.82



### Metalfix • Zinc Plated Min 8µm Steel to Steel with 16mm Washer

MFL55025W16	5.5	25	3	1.2-3.0	7	16	100	0.51	20.86
MFL55032W16	5.5	32	3	1.2-3.0	14	16	100	0.59	22.95
MFL55038W16	5.5	38	3	1.2-3.0	20	16	100	0.67	23.60
MFL55043W16	5.5	43	3	1.2-3.0	25	16	100	0.89	25.15
MFL55050W16	5.5	50	3	1.2-3.0	32	16	100	0.81	26.24
MFL55057W16	5.5	57	3	1.2-3.0	39	16	100	0.81	26.95
MFL55070W16	5.5	70	3	1.2-3.0	52	16	100	1.21	29.63
MFL55075W16	5.5	75	3	1.2-3.0	57	16	100	1.05	30.51
MFH55022W16	5.5	22	4	3.0-6.0	2	16	100	0.47	30.96
MFH55032W16	5.5	32	5	4.0-12.5	2	16	100	0.59	34.03
MFH55040W16	5.5	40	5	4.0-12.5	10	16	100	0.69	35.35
MFH55050W16	5.5	50	5	4.0-12.5	20	16	100	0.81	41.39
MFH55060W16	5.5	60	5	4.0-12.5	30	16	100	0.93	48.26
MFH55070W16	5.5	70	5	4.0-12.5	40	16	100	1.07	51.09
MFH55080W16	5.5	80	5	4.0-12.5	50	16	100	1.18	70.15
MFH55100W16	5.5	100	5	4.0-12.5	70	16	100	1.43	79.89
MFH55120W16	5.5	120	5	4.0-12.5	90	16	100	1.68	104.60



### Metalfix • Zinc Plated Min 8µm Steel to Steel with 19mm Washer

MFL55025W19	5.5	25	3	1.2-3.0	7	19	100	0.51	21.52
MFL55032W19	5.5	32	3	1.2-3.0	14	19	100	0.59	23.60
MFL55038W19	5.5	38	3	1.2-3.0	20	19	100	0.67	24.26
MFL55050W19	5.5	50	3	1.2-3.0	32	19	100	0.81	26.90
MFL55075W19	5.5	75	3	1.2-3.0	57	19	100	1.05	31.89
MFH55022W19	5.5	22	4	3.0-6.0	1.2	19	100	0.47	31.62
MFH55032W19	5.5	32	5	4.0-12.5	2	19	100	0.59	34.69
MFH55040W19	5.5	40	5	4.0-12.5	10	19	100	0.69	36.01
MFH55050W19	5.5	50	5	4.0-12.5	20	19	100	0.81	42.05
MFH55060W19	5.5	60	5	4.0-12.5	30	19	100	0.93	48.92
MFH55070W19	5.5	70	5	4.0-12.5	40	19	100	1.07	55.80
MFH55080W19	5.5	80	5	4.0-12.5	50	19	100	1.18	70.81
MFH55100W19	5.5	100	5	4.0-12.5	70	19	100	1.43	82.64
MFH55120W19	5.5	120	5	4.0-12.5	90	19	100	1.68	86.19


**Metalfix • Zinc Plated Min 8µm Steel to Steel without Washer • 7mm A/F**

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
GP42013	4.2	13	2	1.2-2.5	5	-	200	0.19	5.58
GP42016	4.2	16	2	1.2-2.5	8	-	200	0.21	5.94
GP42019	4.2	19	2	1.2-2.5	11	-	200	0.22	6.60
GP42025	4.2	25	2	1.2-2.5	17	-	200	0.29	6.90
GP48016	4.8	16	3	1.2-3.0	2	-	100	0.29	7.68
GP48019	4.8	19	3	1.2-3.0	5	-	100	0.30	8.88
GP48025	4.8	25	3	1.2-3.0	11	-	100	0.35	10.08


**Metalfix Loose Washer • 1mm Steel with 2mm Bonded EPDM Washers**

MFW16	6	-	-	-	-	16	100	0.15	8.44
MFW19	6	-	-	-	-	19	100	0.18	9.54


**Pozi Pan Head Self Drilling Screws • Zinc Plated Min 8µm Steel to Steel**

PH35095	3.5	9.5	2	1.2-2.5	1	-	200	0.08	3.54
PH35013	3.5	13	2	1.2-2.5	5	-	200	0.10	3.78
PH35019	3.5	19	2	1.2-2.5	11	-	200	0.12	4.20
PH42013	4.2	13	2	1.2-2.5	5	-	200	0.15	4.62
PH42016	4.2	16	3	1.2-2.5	8	-	200	0.17	4.86
PH42019	4.2	19	3	1.2-2.5	11	-	200	0.19	5.34
PH42025	4.2	25	3	1.2-2.5	17	-	200	0.23	5.94
PH48013	4.8	13	3	1.2-3.0	2	-	200	0.21	6.66
PH48019	4.8	19	3	1.2-3.0	5	-	200	0.26	6.90
PH48025	4.8	25	3	1.2-3.0	11	-	200	0.32	7.98


**Woodfix • Zinc Plated Min 8µm Timber to Steel Phillips No.3 Drive**

WFL55040	5.5	40	3	1.2-3.0	22	-	100	0.71	18.00
WFL55050	5.5	50	3	1.2-3.0	32	-	100	0.85	19.98
WFL55060	5.5	60	3	1.2-3.0	42	-	100	1.00	22.09
WFL55080	5.5	80	3	1.2-3.0	62	-	100	1.28	33.77
WFL55100	5.5	100	3	1.2-3.0	82	-	100	1.56	42.16
WFL55110	5.5	100	3	1.2-3.0	92	-	100	1.70	53.44
WFL55120	5.5	120	3	1.2-3.0	112	-	100	1.86	63.17
WFH55050	5.5	50	5	4.0-12.5	23	-	100	0.85	26.35
WFH55060	5.5	60	5	4.0-12.5	33	-	100	1.00	33.77
WFH55070	5.5	70	5	4.0-12.5	43	-	100	1.14	37.00
WFH55085	5.5	85	5	4.0-12.5	58	-	100	1.35	57.33
WFH55109	5.5	109	5	4.0-12.5	82	-	100	1.69	72.79
WFH55120	5.5	120	5	4.0-12.5	92	-	100	1.86	84.85


**Woodfix • Phillips No.3 Drive Bit**

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per Each
WFPH3	-	-	-	-	-	-	10	0.30	2.41



## Self Drilling Screws



### Metalfix Gash Point Screw • Zinc Plated Min 8µm Steel to Timber with Washer

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
GP6303216W	6.3	32	-	0.7-1.4	1	16	100	0.84	26.23
GP6304516W	6.3	45	-	0.7-1.4	5	16	100	1.05	28.00
GP6306016W	6.3	60	-	0.7-1.4	15	16	100	1.25	38.89
GP6308016W	6.3	80	-	0.7-1.4	35	16	100	1.50	50.57
GP6310016W	6.3	100	-	0.7-1.4	55	16	100	1.76	61.48
GP6312516W	6.3	125	-	0.7-1.4	80	16	100	2.02	77.03
GP6302519W	6.3	25	-	0.7-1.4	1	19	100	0.77	25.63
GP6303219W	6.3	32	-	0.7-1.4	1	19	100	0.84	26.90
GP6304519W	6.3	45	-	0.7-1.4	5	19	100	1.05	28.66
GP6306019W	6.3	60	-	0.7-1.4	15	19	100	1.34	40.29
GP6308019W	6.3	80	-	0.7-1.4	35	19	100	1.67	51.82
GP6310019W	6.3	100	-	0.7-1.4	55	19	100	1.99	62.37
GP6312519W	6.3	125	-	0.7-1.4	80	19	100	2.40	78.82
GP6315019W	6.3	150	-	0.7-1.4	105	19	100	2.81	83.88



### Metalfix Stitching Screw • Zinc Plated Min 8µm Steel to Steel with Washer

SS63022W16	6.3	22	1	-	2 x 0.9	16	100	0.70	27.35
SS63025W16	6.3	25	1	-	2 x 1.2	16	100	0.70	28.76
SS63022W19	6.3	22	1	-	2 x 0.9	19	100	0.80	28.75
SS63025W19	6.3	25	1	-	2 x 1.2	19	100	0.80	29.42

Maximum Fixture Thickness allows for maximum steel thickness



### Metalfix High Thread • Zinc Plated Min 8µm Composite Panel Fixing to Light Section

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Insulation Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
HT55065	5.5	65	3	1.2-3.0	30-45	19	100	1.22	34.40
HT55070	5.5	70	3	1.2-3.0	35-50	19	100	1.30	35.13
HT55075	5.5	75	3	1.2-3.0	40-55	19	100	1.34	36.32
HT55085	5.5	85	3	1.2-3.0	40-60	19	100	1.46	45.02
HT55100	5.5	100	3	1.2-3.0	45-75	19	100	1.96	48.31
HT55125	5.5	125	3	1.2-3.0	75-100	19	100	2.46	61.28
HT55150	5.5	150	3	1.2-3.0	90-120	19	100	2.90	71.74



### Metalfix High Thread • Zinc Plated Min 8µm Composite Panel Fixing to Heavy Section

HTH55075	5.5	75	5	4.0-12.5	30-45	19	100	1.43	45.02
HTH55105	5.5	105	5	4.0-12.5	50-64	19	100	1.82	52.40
HTH55130	5.5	130	5	4.0-12.5	60-95	19	100	2.18	66.10




**Wafer Head Screw • No 2 Phillips Drive**

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Insulation Thickness mm	Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
WH4213	4.2	13	2	1.2-2.5	7	11	200	0.25	7.70


**Metalfix • 5/6" Magnetic Socket**

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Insulation Thickness mm	Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per Each
MF516	-	-	-	-	-	-	1	3.00	5.13


**Fibre Cement Screws • Zinc Plated Min 8µm Light Section**

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
FCL63110	6.3	110	3	1.2-3.0	75	22/25	50	2.23	77.48
FCL63125	6.3	125	3	1.2-3.0	95	22/25	50	2.78	86.56
FCL63155	6.3	155	3	1.2-3.0	125	22/25	50	3.27	107.82
FCL63175	6.3	175	3	1.2-3.0	145	22/25	50	3.58	123.87
FCL63195	6.3	195	3	1.2-3.0	165	22/25	50	3.92	138.66
FCL63230	6.3	230	3	1.2-3.0	200	22/25	50	4.59	187.66


**Fibre Cement Screws • Zinc Plated Min 8µm Heavy Section**

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
FCH63110	6.3	110	5	4.0-12.5	75	22/25	50	2.48	77.99
FCH63130	6.3	130	5	4.0-12.5	95	22/25	50	2.81	93.87
FCH63150	6.3	150	5	4.0-12.5	120	22/25	50	3.13	110.17
FCH63180	6.3	180	5	4.0-12.5	145	22/25	50	3.62	142.02
FCH63200	6.3	200	5	4.0-12.5	165	22/25	50	3.94	161.11
FCH63235	6.3	235	5	4.0-12.5	200	22/25	50	4.70	217.91



## Self Drilling Screws



### Metalfix • Bi-Metallic A2 Stainless Steel to Steel Light Section

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFL55022SS	5.5	22	3	1.3-3.0	2	-	100	0.54	62.50
MFL55025SS	5.5	25	3	1.3-3.0	7	-	100	0.56	64.80
MFL55032SS	5.5	32	3	1.3-3.0	14	-	100	0.65	73.06
MFL55038SS	5.5	38	3	1.3-3.0	20	-	100	0.74	78.59
MFL55050SS	5.5	50	3	1.3-3.0	32	-	100	0.90	98.71



### Metalfix • Bi-Metallic A2 Stainless Steel to Steel Heavy Section

MFH55032SS	5.5	32	5	4.0-12.5	2	-	100	0.65	77.66
MFH55038SS	5.5	38	5	4.0-12.5	8	-	100	0.76	95.30
MFH55050SS	5.5	50	5	4.0-12.5	20	-	100	0.90	113.00



### Metalfix Loose Washer • 1mm A2 Stainless Steel with 2mm Bonded EPDM Washers

Part Number	Hole Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFW16SS	6	-	-	-	-	16	100	0.15	10.42
MFW19SS	6	-	-	-	-	19	100	0.18	11.29



### Metalfix • Light Section Bi-Metallic A2 Stainless Steel 16mm Washer

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFL55022SSW16	5.5	22	3	1.2-3.0	2	16	100	0.49	68.13
MFL55025SSW16	5.5	25	3	1.2-3.0	7	16	100	0.51	74.79
MFL55032SSW16	5.5	32	3	1.2-3.0	14	16	100	0.59	82.07
MFL55038SSW16	5.5	38	3	1.2-3.0	20	16	100	0.67	87.75
MFL55050SSW16	5.5	50	3	1.2-3.0	32	16	100	0.81	107.01



### Metalfix • Bi-Metallic A2 Stainless Steel to Steel Heavy Section

MFH55032SSW16	5.5	32	5	4.0-12.5	2	16	100	0.65	90.70
MFH55038SSW16	5.5	38	5	4.0-12.5	8	16	100	0.69	99.65
MFH55050SSW16	5.5	50	5	4.0-12.5	20	16	100	0.81	114.00



## Self Drilling Screws



### Woodfix • Bi-Metallic A2 Stainless Steel Timber to Steel Phillips Light Section

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
WFL55040SS	5.5	40	3	1.2-3.0	22	-	100	0.71	82.73
WFL55050SS	5.5	50	3	1.2-3.0	32	-	100	0.85	97.13
WFL55060SS	5.5	60	3	1.2-3.0	42	-	100	1.00	130.76
WFL55080SS	5.5	80	3	1.2-3.0	62	-	100	1.28	149.77



### Metalfix Stitching Screw • Bi-Metallic A2 Stainless Steel

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
SS63025SSW16	6.3	25	1	-	2 x 0.9	16	100	0.70	82.20
SS63035SSW16	6.3	35	1	-	2 x 1.2	16	100	0.70	96.64



Coloured Cover Caps to suit Hexagon Head Self Drilling Screws with 16mm or 19mm washers

### Coloured Cover Caps

Part Number 16mm Washer	Part Number 19mm Washer	Description	Quantity Per Bag	Ship Wt. Kg Per 1000	Price £ Per 100
MFC16MG	MFC19MG	Merlin Dark Grey (18B25)	1000	0.82	4.99
MFC16GG	MFC19GG	Goosewing Light Grey (10A05)	1000	0.82	4.99
MFC16VB	MFC19VB	Vandyke Brown (08B29)	1000	0.82	4.99
MFC16OG	MFC19OG	Olive Green (12B27)	1000	0.82	4.99
MFC16WH	MFC19WH	White (00E55)	1000	0.82	4.99
MFC16MU	MFC19MU	Mushroom (10B19)	1000	0.82	4.99
MFC16MO	MFC19MO	Moorland Green (12B21)	1000	0.82	4.99
MFC16OB	MFC19OB	Ocean Blue (18C39)	1000	0.82	4.99
MFC16JG	MFC19JG	Juniper Green (12B29)	1000	0.82	4.99
MFC16BL	MFC19BL	Black (00E53)	1000	0.82	4.99
MFC16SB	MFC19SB	Slate Blue (18B29)	1000	0.82	4.99



## Self Drilling Screws



### Metalfix • Vertical Hanger Light Section

An internally threaded socket for hanging rods vertically in light section steel

Part Number	Thread Diameter	Length	Point Type	Steel Thickness	Socket Diameter	A/F	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFL55M0825V	1/4"	25	3	1.2-3.0	M08	5/8"	100	3.55	197.15
MFL55M0838V	1/4"	38	3	1.2-3.0	M08	5/8"	100	3.40	202.93
MFL55M1025V	1/4"	25	3	1.2-3.0	M10	5/8"	100	3.70	199.56
MFL55M1038V	1/4"	38	3	1.2-3.0	M10	5/8"	100	3.54	208.18



### Metalfix • Vertical Hanger Heavy Section

An internally threaded socket for hanging rods vertically in heavy section steel

MFH55M1032V	12g	38	5	4.0-12.5	M10	100	3.60	5/8"	209.04
-------------	-----	----	---	----------	-----	-----	------	------	--------



### Metalfix • Horizontal Hanger Light Section

An internally threaded socket for hanging rods horizontally in light section steel

Part Number	Thread Diameter	Length	Point Type	Steel Thickness	Socket Diameter	A/F	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFL55M0825H	1/4"	25	3	1.2-3.0	M08	5/8"	100	3.45	218.67
MFL55M1025H	1/4"	25	3	1.2-3.0	M10	5/8"	100	3.30	226.51
MFL55M1038H	1/4"	38	3	1.2-3.0	M10	5/8"	100	3.40	232.78



### Metalfix • Horizontal Hanger Heavy Section

An internally threaded socket for hanging rods horizontally in heavy section steel

MFH55M1032H	12g	38	5	4.0-12.5	M10	5/8"	100	3.10	241.12
-------------	-----	----	---	----------	-----	------	-----	------	--------



### Gash Point • Vertical Hanger

An internally threaded socket for hanging rods vertically in wood

Part Number	Thread Diameter	Length	Point Type	Steel Thickness	Socket Diameter	A/F	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
GP63M0825V	1/4"	25	-	0.7-1.4	M08	5/8"	100	3.26	199.23
GP63M0850V	1/4"	50	-	0.7-1.4	M08	5/8"	100	3.00	202.73
GP63M1025V	1/4"	25	-	0.7-1.4	M10	5/8"	100	3.50	201.53
GP63M1050V	1/4"	50	-	0.7-1.4	M10	5/8"	100	3.30	205.28
GP79M1063V	5/16"	63	-	0.7-1.4	M10	5/8"	100	3.88	213.63



### Gash Point • Horizontal Hanger

An internally threaded socket for hanging rods horizontally in wood

GP63M0825H	1/4"	25	-	0.7-1.4	M08	5/8"	100	3.31	209.02
GP63M1025H	1/4"	25	-	0.7-1.4	M10	5/8"	100	2.90	213.95
GP63M1050H	1/4"	50	-	0.7-1.4	M10	5/8"	100	3.40	219.72



### Setting Tool for Rod Hanger

5/8" socket drive for setting rod hangers

MF508RH							5	2.10	13.21
---------	--	--	--	--	--	--	---	------	-------



## SDS+ Drill Bits

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
SD04110	4.0	50	110	5.32
SD05110	5.0	50	110	5.66
SD05160	5.0	100	160	6.37
SD55110	5.5	50	110	5.66
SD55160	5.5	100	160	6.37
SD55210	5.5	150	210	7.51
SD06110	6.0	50	110	5.66
SD06160	6.0	100	160	6.37
SD06200	6.0	150	200	7.78
SD06260	6.0	200	260	8.56
SD65110	6.5	50	110	6.37
SD65160	6.5	100	160	7.08
SD65210	6.5	150	210	8.03
SD65250	6.5	200	250	8.47
SD07110	7.0	50	110	6.45
SD07160	7.0	100	160	7.39
SD07210	7.0	150	210	7.93
SD08110	8.0	50	110	6.57
SD08160	8.0	100	160	7.08
SD08210	8.0	150	210	8.30
SD10110	10.0	50	110	7.71
SD10160	10.0	100	160	8.54
SD10210	10.0	150	210	9.60
SD10260	10.0	200	260	12.12
SD10450	10.0	400	450	21.87
SD12160	12.0	100	160	9.40
SD12210	12.0	150	210	11.05
SD12260	12.0	200	260	13.77
SD12450	12.0	400	450	24.39



## SDS Max Drill Bits

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
MAX12340	12.0	188	340	35.01
MAX12540	12.0	388	540	47.31
MAX13340	13.0	188	340	37.28
MAX13540	13.0	388	540	47.31
MAX14340	14.0	188	340	38.79
MAX14540	14.0	388	540	47.87
MAX14690	14.0	538	690	50.90
MAX15340	15.0	188	340	38.79
MAX15540	15.0	388	540	50.14
MAX16340	16.0	188	340	57.71
MAX16540	16.0	388	540	66.23
MAX16690	16.0	538	690	72.85
MAX18340	18.0	188	340	58.19
MAX18540	18.0	388	540	61.97
MAX20370	20.0	218	370	67.65
MAX20520	20.0	368	520	74.74
MAX20920	20.0	768	920	113.06
MAX22370	22.0	218	370	72.85
MAX22520	22.0	368	520	76.64
MAX22920	22.0	768	920	120.16

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
SD13160	13.0	100	160	12.95
SD13210	13.0	150	210	14.95
SD13260	13.0	200	260	19.45
SD14160	14.0	100	160	13.18
SD14210	14.0	150	210	15.03
SD14300	14.0	250	300	19.63
SD14450	14.0	400	450	27.14
SD15160	15.0	100	160	15.85
SD15260	15.0	200	260	20.45
SD16210	16.0	150	210	17.94
SD16300	16.0	250	300	29.23
SD16450	16.0	400	450	35.20
SD18200	18.0	150	200	26.51
SD18450	18.0	400	450	40.48
SD20200	20.0	150	200	34.61
SD20300	20.0	250	300	44.64
SD20450	20.0	400	450	48.38
SD22250	22.0	200	250	53.42
SD22450	22.0	400	450	55.30
SD24260	24.0	200	260	69.82
SD24450	24.0	400	450	70.21
SD25250	25.0	200	250	62.50
SD25450	25.0	400	450	70.96
SD26450	26.0	400	450	72.71
SD28450	28.0	400	450	84.81
SD30450	30.0	400	450	98.50

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
MAX24370	24.0	218	370	76.64
MAX24520	24.0	368	520	79.28
MAX25320	25.0	168	320	81.37
MAX25520	25.0	368	520	84.20
MAX25920	25.0	768	920	127.73
MAX26370	26.0	218	370	86.10
MAX26520	26.0	368	520	88.94
MAX28370	28.0	218	370	88.94
MAX28570	28.0	418	570	102.18
MAX30370	30.0	218	370	92.72
MAX30570	30.0	418	570	104.07
MAX32370	32.0	218	370	102.18
MAX32570	32.0	418	570	116.56
MAX32920	32.0	768	920	140.97
MAX35570	35.0	418	570	127.73
MAX38570	38.0	418	570	158.95
MAX40570	40.0	418	570	180.71



## Drill Bits



### SDS+ High Performance Drill Bits • F8 Extreme

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
SDHP05110	5	50	110	10.82
SDHP05160	5	100	160	13.14
SDHP55110	5.5	50	110	11.82
SDHP55160	5.5	100	160	16.17
SDHP06110	6	50	110	11.03
SDHP06160	6	100	160	12.31
SDHP06210	6	150	210	15.07
SDHP06260	6	200	260	20.06
SDHP65210	6.5	150	210	19.44
SDHP65260	6.5	200	260	26.62
SDHP07110	7	50	110	13.97
SDHP07160	7	100	160	15.99
SDHP08110	8	50	110	11.72
SDHP08160	8	100	160	15.25
SDHP08210	8	150	210	18.47
SDHP10110	10	50	110	12.65
SDHP10160	10	100	160	17.62
SDHP10210	10	150	210	20.58
SDHP10260	10	200	260	28.88
SDHP10450	10	400	450	47.78

Suitable for drilling reinforced concrete

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
SDHP12160	12	100	160	22.04
SDHP12210	12	150	210	26.73
SDHP12260	12	200	260	33.60
SDHP12450	12	400	450	53.03
SDHP14160	14	100	160	34.70
SDHP14210	14	150	210	37.01
SDHP14310	14	250	310	57.04
SDHP15160	15	100	160	41.53
SDHP16210	16	150	210	46.31
SDHP16310	16	250	310	74.24
SDHP16450	16	400	450	82.85
SDHP18250	18	200	250	81.22
SDHP18450	18	400	450	92.67
SDHP20250	20	200	250	88.44
SDHP20400	20	350	400	104.95
SDHP22250	22	200	250	95.60
SDHP22450	22	400	450	127.87



### Masonry Drill Bits • Straight Shank

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
JMD04085	4.0	50	85	1.89
JMD05085	5.0	50	85	1.89
JMD05150	5.0	90	150	2.72
JMD55100	5.5	60	100	1.89
JMD55150	5.5	90	150	2.72
JMD06100	6.0	60	100	2.13
JMD06150	6.0	90	150	2.91
JMD65100	6.5	60	100	2.13
JMD65150	6.5	90	150	2.91
JMD07100	7.0	60	100	2.32
JMD07150	7.0	90	150	3.11
JMD08120	8.0	80	120	2.64
JMD08150	8.0	90	150	3.78
JMD08200	8.0	140	200	4.80
JMD08300	8.0	240	300	6.69
JMD10120	10.0	80	120	3.60
JMD10150	10.0	90	150	4.60
JMD10200	10.0	140	200	5.63
JMD10300	10.0	240	300	8.03
JMD10400	10.0	300	400	11.06

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
JMD12150	12.0	90	150	5.25
JMD12200	12.0	140	200	7.28
JMD12300	12.0	240	300	10.04
JMD12400	12.0	300	400	13.58
JMD14150	14.0	90	150	7.32
JMD14200	14.0	140	200	10.04
JMD14400	14.0	300	400	14.17
JMD16150	16.0	90	150	8.97
JMD16200	16.0	140	200	11.89
JMD16300	16.0	240	300	13.58
JMD16400	16.0	300	400	16.49
JMD18200	18.0	140	200	14.60
JMD20160	20.0	100	160	13.19
JMD20200	20.0	140	200	16.49
JMD20300	20.0	240	300	18.77
JMD20400	20.0	300	400	21.49
JMD25160	25.0	100	160	18.81
JMD25200	25.0	140	200	22.91
JMD25300	25.0	240	300	29.24
JMD25400	25.0	300	400	33.42





**Flat Wood Bits**

Part Number	Diameter mm	Overall Length mm	Price £ Each
FW06	6	158	4.01
FW08	8	158	4.01
FW10	10	158	4.20
FW12	12	158	4.28
FW13	13	158	4.28
FW14	14	158	4.43
FW16	16	158	4.62
FW18	18	158	4.62
FW19	19	158	4.62
FW20	20	158	5.22
FW22	22	158	5.22
FW24	24	161	5.41
FW25	25	161	5.41
FW28	28	161	7.19
FW30	30	174	7.19
FW32	32	174	7.84
FW35	35	174	9.01
FW38	38	174	9.20

**Drill Bits**



**Centre Spur Wood Bits**

Part Number	Diameter mm	Overall Length mm	Price £ Each
TP03	3	60	2.31
TP04	4	70	2.31
TP05	5	85	2.42
TP06	6	90	2.57
TP07	7	105	2.95
TP08	8	110	3.18
TP09	9	115	3.48
TP10	10	120	3.94
TP12	12	140	5.41



**HSS • High Speed Steel Drill Bits • Metric**



Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
HSS010	1.0	34	10	0.97
HSS015	1.5	40	10	0.97
HSS016	1.6	43	10	0.97
HSS020	2.0	49	10	0.97
HSS022	2.2	53	10	1.05
HSS024	2.4	57	10	1.05
HSS025	2.5	57	10	1.05
HSS026	2.6	57	10	1.09
HSS028	2.8	61	10	1.09
HSS030	3.0	61	10	1.14
HSS032	3.2	65	10	1.18
HSS033	3.3	65	10	1.22
HSS034	3.4	70	10	1.22
HSS035	3.5	70	10	1.22
HSS036	3.6	70	10	1.30
HSS038	3.8	75	10	1.38
HSS040	4.0	75	10	1.38
HSS042	4.2	75	10	1.54
HSS045	4.5	80	10	1.54
HSS048	4.8	86	10	1.58
HSS050	5.0	86	10	1.66
HSS052	5.2	86	10	1.99
HSS055	5.5	93	10	2.03
HSS058	5.8	93	10	2.19
HSS060	6.0	93	10	2.19

Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
HSS062	6.2	101	10	2.39
HSS064	6.4	101	10	2.39
HSS065	6.5	101	10	2.39
HSS066	6.6	101	10	2.59
HSS068	6.8	109	10	2.59
HSS070	7.0	109	10	2.80
HSS072	7.2	109	10	2.80
HSS075	7.5	109	10	3.12
HSS078	7.8	117	10	3.36
HSS080	8.0	117	10	3.45
HSS082	8.2	117	10	3.89
HSS085	8.5	117	10	3.89
HSS088	8.8	125	10	4.30
HSS090	9.0	125	10	4.30
HSS094	9.4	125	10	4.70
HSS095	9.5	125	10	4.70
HSS098	9.8	133	10	4.95
HSS100	10.0	133	5	5.19
HSS102	10.2	133	5	5.19
HSS105	10.5	133	5	6.00
HSS110	11.0	142	5	6.49
HSS115	11.5	142	5	7.09
HSS120	12.0	151	5	7.50
HSS125	12.5	151	5	8.59
HSS130	13.0	151	5	9.69

## Drill Bits



### HSS • High Speed Steel Drill Bits • Imperial



Part Number	Diameter inches	Overall Length mm	Pack Quantity	Price £ Per Each
HSSI00116	1/16	43	10	0.97
HSSI00332	3/32	57	10	1.01
HSSI00764	7/64	61	10	1.09
HSSI00108	1/8	65	10	1.09
HSSI00964	9/64	70	10	1.30
HSSI00532	5/32	75	10	1.42
HSSI001164	11/64	80	10	1.58
HSSI00316	3/16	80	10	1.78
HSSI001364	13/64	86	10	2.11

Part Number	Diameter inches	Overall Length mm	Pack Quantity	Price £ Per Each
HSSI00732	7/32	93	10	2.31
HSSI00104	1/4	101	10	2.55
HSSI001764	17/64	109	10	3.24
HSSI00932	9/32	109	10	3.53
HSSI00516	5/16	117	10	4.18
HSSI001132	11/32	125	10	4.99
HSSI00308	3/8	133	10	5.39
HSSI001332	13/32	133	5	6.97
HSSI00716	7/16	142	5	7.95
HSSI00102	1/2	151	5	10.09




### HSS • High Speed Steel Drill Bits • Metric in Wallets



Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
HSSW010	1.0	34	3	4.52
HSSW015	1.5	40	3	4.56
HSSW020	2.0	49	3	4.60
HSSW025	2.5	57	3	4.64
HSSW030	3.0	61	3	4.70
HSSW035	3.5	70	2	4.11
HSSW040	4.0	75	2	4.16
HSSW045	4.5	80	2	4.66
HSSW050	5.0	86	2	5.05
HSSW055	5.5	93	2	5.25
HSSW060	6.0	93	2	6.02
HSSW065	6.5	101	1	3.85

Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
HSSW070	7.0	109	1	4.26
HSSW075	7.5	109	1	4.66
HSSW080	8.0	117	1	4.97
HSSW085	8.5	117	1	5.37
HSSW090	9.0	125	1	5.57
HSSW095	9.5	125	1	5.98
HSSW100	10.0	133	1	6.47
HSSW105	10.5	133	1	6.97
HSSW110	11.0	142	1	7.95
HSSW115	11.5	142	1	8.37
HSSW120	12.0	151	1	9.32
HSSW125	12.5	151	1	9.83
HSSW130	13.0	151	1	10.07



Drill Bits



**Multidrill Tungsten Carbide Universal Drill • Metric**

Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
MUL040075	4	75	1	7.65
MUL050085	5	85	1	8.00
MUL050150	5	150	1	9.39
MUL055085	5.5	85	1	8.28
MUL055150	5.5	150	1	10.44
MUL060100	6	100	1	8.49
MUL060200	6	200	1	9.74
MUL065100	6.5	100	1	8.63
MUL065200	6.5	200	1	11.97
MUL070100	7	100	1	10.09
MUL070200	7	200	1	12.87
MUL080120	8	120	1	11.06
MUL080200	8	200	1	12.80
MUL100120	10	120	1	12.18
MUL100200	10	200	1	14.96
MUL120220	12	220	1	16.35
MUL140220	14	220	1	18.78
MULSET	4,5,6,8,10	-	1	41.40



**HSS Cobalt High Speed Steel Drill • Metric**

Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
COB020	2.0	49	10	3.27
COB025	2.5	57	10	3.51
COB030	3.0	61	10	3.54
COB033	3.3	65	10	4.00
COB035	3.5	70	10	4.15
COB040	4.0	75	10	4.50
COB042	4.2	75	10	5.41
COB045	4.5	80	10	5.48
COB050	5.0	86	10	5.62
COB055	5.5	93	10	7.17
COB060	6.0	93	10	7.38
COB065	6.5	101	10	8.08
COB068	6.8	109	10	9.13
COB070	7.0	109	10	9.49
COB075	7.5	109	10	9.91
COB080	8.0	117	10	10.57
COB085	8.5	117	10	10.82
COB090	9.0	125	10	13.56
COB095	9.5	125	10	15.85
COB100	10.0	133	5	16.51
COB105	10.5	133	5	22.34
COB110	11.0	142	5	24.59
COB115	11.5	142	5	31.19
COB120	12.0	151	5	35.48
COB125	12.5	151	5	42.29
COB130	13.0	151	1	45.67



## Shield Anchors



### Shield Anchor • Projecting Bolt

Polybag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
APBBAG0610	10	5	13.95
APBBAG0625	10	5	14.59
APBBAG0650	10	5	17.04
APBBAG0815	10	5	18.52
APBBAG0840	10	5	23.43
APBBAG0880	10	5	26.30
APBBAG1030	10	5	31.28
APBBAG1070	10	5	40.38
APBBAG1215	5	5	25.32
APBBAG1250	5	5	30.04

Minibag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB105	2	10	5.20
AB106	2	10	5.33
AB107	2	10	5.80
AB108	2	10	5.93
AB110	2	10	6.19
AB111	2	10	6.97
AB115	2	10	8.23
AB116	2	10	8.92
AB117	2	10	13.21
AB118	2	10	14.73

Thread Diameter mm	Drill Diameter mm	Max. Fixture Thickness mm
6	12	10
6	12	25
6	12	50
8	14	15
8	14	40
8	14	80
10	16	30
10	16	70
12	20	15
12	20	50

### Shield Anchor • Loose Bolt



Polybag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
ALBBAG0610	10	5	13.95
ALBBAG0625	10	5	15.02
ALBBAG0640	10	5	17.16
ALBBAG0810	10	5	19.44
ALBBAG0825	10	5	21.67
ALBBAG0840	10	5	24.24
ALBBAG1010	10	5	30.05
ALBBAG1025	10	5	33.60
ALBBAG1050	10	5	37.55
ALBBAG1075	10	5	40.89
ALBBAG1210	5	5	21.88
ALBBAG1225	5	5	25.87
ALBBAG1240	5	5	29.82
ALBBAG1260	5	5	31.37

Minibag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB135	2	10	5.41
AB136	2	10	5.54
AB137	2	10	5.72
AB140	2	10	6.11
AB141	2	10	6.41
AB142	2	10	6.80
AB143	2	10	8.23
AB145	2	10	8.40
AB146	2	10	9.75
AB147	2	10	10.57
AB148	2	10	13.56
AB149	2	10	15.16
AB150	2	10	16.03
AB151	2	10	17.37

Thread Diameter mm	Drill Diameter mm	Max. Fixture Thickness mm
6	12	10
6	12	25
6	12	40
8	14	10
8	14	25
8	14	40
10	16	10
10	16	25
10	16	50
10	16	75
12	20	10
12	20	25
12	20	40
12	20	60

### Shield Anchor • Eye Bolt



Polybag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AEBBAGM08	10	5	29.82

Minibag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB165	2	10	9.70

Thread Diameter mm	Drill Diameter mm	Max. Fixture Thickness mm
8	14	N/A

### Shield Anchor • Hook Bolt



Polybag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AHBBAGM08	10	5	29.82

Minibag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB170	2	10	9.70

Thread Diameter mm	Drill Diameter mm	Max. Fixture Thickness mm
8	14	N/A

For additional technical information see main product page

Cavity Fixings



**Metal Plasterboard Fixing with Screw**

Polybag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
JJPBAG15	20	5	9.95

Minibag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB315	6	10	4.38

Thread Diameter mm	Screw Length mm	Max. Fixture Thickness mm
4.5	25	15



**Nylon Plasterboard Fixing with Screw**

Polybag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
JJPNBAG10	20	5	7.73

Minibag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB320	6	10	3.56

Thread Diameter mm	Screw Length mm	Max. Fixture Thickness mm
4.5	30	10



**Rosett Cavity Fixing • Torx 25 Drive**

Polybag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
BRBAG05055	6	10	5.31
BRBAG05080	6	10	5.34
BRBAGHOOK	4	10	5.75

Polybag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
RRBAG05065	6	10	5.38
RRBAG05090	6	10	5.72
RRBAGHOOK	4	10	5.81

Blue Rosett 5mm x 55mm  
Blue Rosett 5mm x 80mm  
Blue Rosett Hook

Red Rosett 5mm x 65mm  
Red Rosett 5mm x 90mm  
Red Rosett Hook



**Plastic Toggle**

Polybag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
NTBAG10	50	5	13.26
NTBAG12	50	5	13.90
NTBAG16	50	5	14.37

Minibag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB505	6	10	3.50
AB510	6	10	3.50
AB515	6	10	3.50

Thread Diameter mm	Screw Length mm	Max. Fixture Thickness mm
8	4.5	4-12
8	4.5	15-19
8	4.5	24-28





## Fixings

### Hollow Wall Anchors



#### Polybag Range

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
LHWABAG04045	10	5	4.42
LHWABAG04050	10	5	5.06
LHWABAG05045	10	5	7.08

#### Minibag Range

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB330	4	10	3.21
AB335	4	10	3.29
AB340	4	10	3.99

Thread Diameter mm	Screw Length mm	Max. Fixture Thickness mm
8	4 x 45	8-13
8	4 x 50	16-20
10	5 x 45	5-10

### Spring Toggles with Screw



#### Polybag Range

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
LSTBAG05050	10	5	5.32
LSTBAG05075	10	5	6.18
LSTBAG06075	10	5	7.94

#### Minibag Range

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB360	4	10	3.51
AB365	4	10	3.77
AB366	4	10	4.46

Thread Diameter mm	Screw Length mm	Max. Fixture Thickness mm
14	5 x 50	20
14	5 x 75	45
18	6 x 75	45


### Masonry Nails



#### Minibag Range

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Shank Diameter mm	Shank Length mm
BR725	30	10	1.39	2.50	25
BR730	25	10	1.39	2.50	30
BR740	20	10	1.39	2.50	40
BR750	14	10	1.39	3.00	50
BR760	12	10	1.39	3.00	60
BR775	7	10	1.39	3.50	75
BR7100	5	10	1.39	3.50	100

For additional technical information see main product page



Nylon Range

Nylon Frame Fixings



Polybag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
NFFBAG08060	20	5	8.84
NFFBAG08080	20	5	9.27
NFFBAG08100	20	5	10.60
NFFBAG08120	20	5	14.37
NFFBAG10100	20	5	15.02
NFFBAG10115	20	5	17.68
NFFBAG10135	20	5	20.77
NFFBAG10160	10	5	14.37

Minibag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB400	4	10	3.34
AB405	4	10	3.68
AB406	4	10	3.99
AB407	4	10	4.46
AB410	4	10	5.50
AB411	4	10	5.80
AB415	4	10	6.80
AB416	4	10	7.58

Plug Length mm	Drill Diameter mm	Max. Fixture Thickness mm
60	8	20
80	8	40
100	8	60
120	8	80
100	10	55
120	10	70
140	10	90
160	10	115

Nylon Hammerscrews



Polybag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
NHSBAG05050	50	5	9.27
NHSBAG06040	50	5	9.74
NHSBAG06050	50	5	10.68
NHSBAG06070	50	5	12.62
NHSBAG08080	20	5	8.41
NHSBAG08100	20	5	10.17
NHSBAG08120	20	5	11.93

Minibag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB435	8	10	2.82
AB436	10	10	3.03
AB440	10	10	3.21
AB445	10	10	3.68
AB446	10	10	4.89
AB450	8	10	5.33
AB451	8	10	6.24

Plug Length mm	Drill Diameter mm	Max. Fixture Thickness mm
50	5	25
40	6	10
50	6	20
70	6	40
80	8	40
100	8	60
120	8	80

Coach Screw and Screw Sets



Polybag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
CSPBAG06060	10	5	4.42
CSPBAG06080	10	5	4.89
CSPBAG08100	10	5	8.41
CSPBAG08120	10	5	9.44

Minibag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB475	2	10	2.25
AB480	2	10	2.25
AB485	2	10	2.47
AB490	2	10	2.69

Plug Length mm	Drill Diameter mm	Max. Fixture Thickness mm
40	8	20
40	8	40
50	10	50
50	10	70

Concrete Screws



Polybag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
CSBAG75060	20	5	8.24
CSBAG75080	20	5	8.74
CSBAG75100	20	5	10.21
CSBAG75120	20	5	13.86
CSBAG75150	10	5	15.54

Minibag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB491	4	10	3.21
AB492	4	10	3.59
AB493	4	10	3.88
AB494	4	10	4.35
AB495	4	10	5.20

Plug Length mm	Drill Diameter mm	Max. Fixture Thickness mm
60	6	20
80	6	40
100	6	60
120	6	80
150	6	110

## Plug Range

### Universal Plug



#### Polybag Range

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
NUPBAG06035	50	5	6.65
NUPBAG08050	50	5	9.96

#### Minibag Range

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB305	10	10	3.51
AB310	10	10	3.99

Plug Length mm	Drill Diameter mm	Screw Diameter No
40	6	6-8
50	8	10-12

### Nylon Plug



#### Polybag Range

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
NPBAG06	50	5	3.52
NPBAG07	50	5	4.42
NPBAG08	50	5	4.85

#### Minibag Range

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB530	20	10	2.69
AB535	20	10	3.12
AB540	20	10	3.21

Plug Length mm	Drill Diameter mm	Screw Diameter No
30	6	6-8
35	7	8-12
40	8	10-12

### Plasterboard Plug



#### Polybag Range

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
PPBAG07	25	5	6.51

#### Minibag Range


Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB545	10	10	4.33

Plug Length mm	Drill Diameter mm	Screw Diameter No
-	7	8



### Aerated Concrete Plug

Part Number	Plug Length mm	Drill Diameter mm	Screw Diameter mm	Quantity Per Pack	Quantity of Bags Per Outer	Price £ Per Bag
ACPBAG10	55	10	4.5-6.0	10	10	7.99
ACPBAG12	60	12	7.0-8.0	10	10	9.23
ACPBAG14	75	14	10	5	10	8.05



Masonry Anchors

Sleeve Anchors • Hexagon Nut



Polybag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
SLNBAG08065	10	5	7.72
SLNBAG08085	10	5	7.94
SLNBAG10050	10	5	8.20
SLNBAG10075	10	5	9.48
SLNBAG10100	10	5	12.83
SLNBAG12075	10	5	13.90
SLNBAG12100	10	5	18.11
SLNBAG16110	5	5	13.04

Minibag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB200	2	10	3.22
AB205	2	10	3.64
AB206	2	10	3.60
AB210	2	10	3.60
AB211	2	10	4.12
AB215	2	10	4.20
AB216	2	10	5.37
AB217	2	10	7.59

Thread Diameter mm	Drill Diameter mm	Max. Fixture Thickness mm
6	8	30
6	8	50
8	10	8
8	10	35
8	10	62
10	12	22
10	12	45
12	16	49

Sleeve Anchors • Eye Bolt



AB235	2	10	3.99
-------	---	----	------

6	8	N/A
---	---	-----

Sleeve Anchors • Hookbolt



AB240	2	10	3.99
-------	---	----	------

6	8	N/A
---	---	-----

Throughbolt



TBBAG08065	10	5	9.27
TBBAG08100	10	5	11.50
TBBAG10075	10	5	11.93
TBBAG10090	10	5	12.62
TBBAG10120	10	5	15.02
TBBAG12100	5	5	10.60
TBBAG16125	5	5	18.58

AB250	2	10	3.12
AB251	2	10	3.42
AB252	2	10	3.90
AB253	2	10	4.03
AB254	2	10	4.33
AB255	2	10	5.02
AB256	2	10	7.88

8	8	20
8	8	55
10	10	18
10	10	33
10	10	63
12	12	25
16	16	30

Ankerbolts



Polybag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
JABBAG06050	10	5	4.03
JABBAG08050	10	5	6.10
JABBAG08075	10	5	7.75
JABBAG08100	10	5	8.99
JABBAG10060	10	5	8.24
JABBAG10075	10	5	10.09
JABBAG10100	10	5	12.02
JABBAG12075	10	5	12.19
JABBAG12100	10	5	16.33
JABBAG12150	10	5	24.21
JABBAG08050CS	10	5	9.31
JABBAG08075CS	10	5	9.81
JABBAG08100CS	10	5	10.84
JABBAG08050H	10	5	22.68
JABBAG08050E	10	5	34.08

Minibag Range			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB600	2	10	2.61
AB601	2	10	3.02
AB602	2	10	3.44
AB603	2	10	3.65
AB604	2	10	3.55
AB605	2	10	3.74
AB606	2	10	4.06
AB607	2	10	4.39
AB608	2	10	5.22
AB609	2	10	6.16
AB610	2	10	4.69
AB611	2	10	5.10
AB612	2	10	5.31
AB613	2	10	6.16
AB614	2	10	8.24

Anchor Diameter mm	Drill Diameter mm	Max. Fixture Thickness mm
6	5	20
8	6	20
8	6	45
8	6	55
10	8	20
10	8	35
10	8	60
12	10	25
12	10	50
12	10	100
8	6	20
8	6	45
8	6	55
8	6	-
8	6	-

## Self Drilling Screws

### Woodfix Light Section

#### Polybag Range



Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Screw Length mm	Max Fixture Thickness mm
WFLBAG55040	50	5	10.39	40	22
WFLBAG55050	50	5	11.09	50	32
WFLBAG55060	50	5	13.79	60	42
WFLBAG55080	50	5	15.02	80	62
WFLBAG55100	50	5	17.68	100	82
WFLBAG55110	50	5	19.34	110	92

### Woodfix Heavy Section



WFHBAG55050	50	5	13.58	50	23
WFHBAG55060	50	5	15.12	60	33
WFHBAG55070	50	5	17.13	70	43
WFHBAG55085	50	5	18.85	85	58
WFHBAG55109	50	5	24.08	109	82

### Metalfix Light Section-No Washer



MFLBAG55025	50	5	9.08	25	10
MFLBAG55032	50	5	10.17	32	17
MFLBAG55038	50	5	11.02	38	23
MFLBAG55050	50	5	11.53	50	36

### Metalfix Light Section - 19mm Washer



MFLBAG55025W19	50	5	12.29	25	7
MFLBAG55032W19	50	5	12.80	32	14
MFLBAG55038W19	50	5	13.30	38	20
MFLBAG55050W19	50	5	14.81	50	32

### Metalfix Heavy Section - 19mm Washer



MFHBAG55022W19	50	5	14.69	22	1.2
MFHBAG55032W19	50	5	15.16	32	2
MFHBAG55040W19	50	5	15.73	40	10
MFHBAG55050W19	50	5	16.28	50	20

### Gashpoint Screw - 19mm Washer



GPBAG63032W19	50	5	13.91	32	1.4
GPBAG63045W19	50	5	15.82	45	1.4

### Stitching Screw - 19mm Washer



SSBAG63025W19	50	5	13.30	25	2 x 0.9
---------------	----	---	-------	----	---------

### Loose EDPM Washer



MFWBAG16	100	5	9.77	-	-
MFWBAG19	100	5	11.49	-	-

### Wafer Head Screw



WHBAG4213	200	5	18.53	13	1
-----------	-----	---	-------	----	---

### 5/16" Drive Socket



MFBAG516	1	5	5.94	-	-
----------	---	---	------	---	---

### Merlin Grey - 19mm Cover Cap



MFCBAG19MG	100	5	6.24	-	-
------------	-----	---	------	---	---

## Loose Bolt Shield Anchors ZYP

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBALB0610	M6 x 10	10	5	4.00
UBALB0625	M6 x 25	10	5	4.30
UBALB0810	M8 x 10	6	5	3.70
UBALB0825	M8 x 25	6	5	4.00
UBALB0840	M8 x 40	6	5	4.30
UBALB1010	M10 x 10	4	5	4.00
UBALB1025	M10 x 25	4	5	4.30
UBALB1050	M10 x 50	4	5	4.60
UBALB1075	M10 x 75	4	5	5.20
UBALB1210	M12 x 10	2	5	3.40
UBALB1225	M12 x 25	2	5	3.70
UBALB1260	M12 x 60	2	5	4.30



## Projecting Bolt Shield Anchors ZYP

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBAPB0610	M6 x 10	6	5	2.80
UBAPB0815	M8 x 15	6	5	4.00
UBAPB0880	M8 x 80	4	5	3.70
UBAPB1030	M10 x 30	4	5	4.60
UBAPB1070	M10 x 70	4	5	5.20
UBAPB1250	M12 x 50	2	5	4.00



## Eye Bolt Shield Anchors ZYP

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBAEBM08	M8	4	5	4.60



## Throughbolts

## Throughbolts ZP

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBAWA08065	M8 x 65	6	5	2.60
UBAWA08100	M8 x 100	6	5	2.80
UBAWA10075	M10 x 75	4	5	2.60
UBAWA10090	M10 x 90	4	5	2.80
UBAWA10120	M10 x 120	4	5	3.40
UBAWA12100	M12 x 100	4	5	3.40
UBAWA16125	M16 x 125	2	5	4.00



## Sleeve Anchors

## Sleeve Anchors ZYP

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBSLN08085	M8 x 85	6	5	2.45
UBSLN10075	M10 x 75	4	5	2.30
UBSLN10100	M10 x 100	4	5	2.60
UBSLN12075	M12 x 75	4	5	2.80
UBSLN12100	M12 x 100	4	5	3.10





## Wall Anchors

**UNIFIX**<sup>®</sup>

### Hollow Wall Anchors ZYP

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBLHWA04045	M4 x 45	10	5	2.30
UBLHWA05045	M5 x 45	10	5	2.80
UBLHWA06060	M6 x 60	10	5	3.40



## Concrete Bolts

### Concrete Bolts

Part Number	Head Style	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBJAB06/08050	Hex Flange	6(8) x 50	6	5	2.10
UBJAB06/08075	Hex Flange	6(8) x 75	6	5	2.45
UBJAB06/08100	Hex Flange	6(8) x 100	4	5	2.45
UBJAB08/10060	Hex	8(10) x 60	4	5	2.45
UBJAB08/10075	Hex	8(10) x 75	4	5	2.80
UBJAB08/10100	Hex	8(10) x 100	4	5	3.40
UBJAB10/12075	Hex	10(12) x 75	4	5	3.70
UBJAB10/12100	Hex	10(12) x 100	4	5	4.30
UBJAB10/12150	Hex	10(12) x 150	2	5	3.70
UBJAB06/08075CS	Csk	6(8) x 75	6	5	2.45
UBJAB06/08100CS	Csk	6(8) x 100	4	5	2.60
UBJAB06/08050EYE	Eye Bolt	6(8) x 50	2	5	2.80



## Frame Fixings

### Nylon Frame Fixings

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBNFF08060	8 x 60	10	5	2.20
UBNFF08080	8 x 80	10	5	2.45
UBNFF08100	8 x 100	10	5	2.80
UBNFF08120	8 x 120	10	5	3.10
UBNFF10100	10 x 100	6	5	2.80
UBNFF10120	10 x 120	6	5	3.10
UBNFF10140	10 x 140	6	5	3.40
UBNFF10160	10 x 160	6	5	3.70



### Nylon Hammer Screws

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBNHS06040	6 x 40	20	5	2.00
UBNHS06060	6 x 60	20	5	2.20
UBNHS08080	8 x 80	10	5	2.30
UBNHS08100	8 x 100	10	5	2.80
UBNHS08120	8 x 120	10	5	3.10



## Wall Plugs

### Universal Wall Plugs

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBNUP06035	M6	40	5	2.45
UBNUP08050	M8	40	5	3.10



### Plastic Wall Plugs

Part Number	Size	Colour	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBJCPRED	6mm	Red	50	5	1.90
UBJCPBROWN	7mm	Brown	50	5	2.00



### Nylon Wall Plugs

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBNP06	M6	40	5	2.10
UBNP08	M8	40	5	2.45
UBNP10	M10	20	5	2.60



### Cavity Fixing Rosetts

Part Number	Size	Colour	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBBR05055	M5 x 55 (9-18mm)	Blue	6	5	4.00
UBBR05080	M5 x 80 (9-18mm)	Blue	6	5	4.00
UBRR05065	M5 x 65 (18-30mm)	Red	6	5	4.00
UBRR05090	M5 x 90 (18-30mm)	Red	6	5	4.00



### Plasterboard Fixings

Part Number	Finish	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBJJP15A6	Metal	6	5	1.80
UBJJP15A20	Metal	20	5	3.40
UBJJP106	Nylon	6	5	3.40
UBJJP1020	Nylon	20	5	1.80



### Plasterboard Plugs

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBPPLUG	M7	20	5	2.60



## Toggles

UNIFIX®

### Spring Toggles ZYP

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBLST05050	M5 x 50	6	5	2.45
UBLST05075	M5 x 75	6	5	2.80
UBLST06075	M6 x 75	6	5	3.10



### Nylon Toggles

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBNT10	M10	20	5	2.60
UBNT12	M12	20	5	2.80



## Concrete Screws

### Concrete Screws

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBCS75060	M7.5 x 60	20	5	2.80
UBCS75080	M7.5 x 80	20	5	3.70
UBCS75100	M7.5 x 100	20	5	4.00
UBCS75120	M7.5 x 120	10	5	3.10
UBCS75150	M7.5 x 150	10	5	3.70



## Nails

### Masonry Nails

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBAMNL025	25 x 2.5	30	5	1.60
UBAMNL030	30 x 2.5	25	5	1.60
UBAMNL040	40 x 2.5	20	5	1.60
UBAMNM050	50 x 3.0	14	5	1.60
UBAMNM060	60 x 3.0	12	5	1.60
UBAMNM075	75 x 3.5	7	5	1.60



### Bigtwist Insulation Nails

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBTC08165	165 x 8	10	5	6.90
UBTC08195	195 x 8	10	5	7.70



## Sanitary Fixings

### Sanitary Fixings

Part Number	Type	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBNBFS10140	Basin Fixing	M10 x 140	2	5	2.80
UBNWCW06070	W.C. Fixing (White)	M6 x 70	2	5	2.20



### Light Self Drill Screws with 16mm Washer

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBMFL55025W16	M5.5 x 25	30	5	2.80
UBMFL55032W16	M5.5 x 32	30	5	3.10
UBMFL55038W16	M5.5 x 38	20	5	2.60
UBMFL55050W16	M5.5 x 50	20	5	3.10



### Light Self Drill Screws

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBMFL55025	M5.5 x 25	30	5	2.60
UBMFL55038	M5.5 x 38	30	5	2.80
UBMFL55050	M5.5 x 50	30	5	3.10



### Heavy Self Drill Screws with 16mm Washer

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBMFH55032W16	M5.5 x 32	20	5	2.60
UBMFH55040W16	M5.5 x 40	20	5	2.80
UBMFH55050W16	M5.5 x 50	20	5	3.10



### Self Drill Stitch Screws with 16mm Washer

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBSS63025W16	M6.3 x 25	30	5	2.80



### Light Self Drill Screws Wood Fix

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBWFL55040	M5.5 x 40	30	5	2.60
UBWFL55050	M5.5 x 50	30	5	2.80
UBWFL55060	M5.5 x 60	20	5	2.45
UBWFL55080	M5.5 x 80	20	5	3.10
UBWFL55110	M5.5 x 110	20	5	4.00



### Heavy Self Drill Screws Wood Fix

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBWFH55060	M5.5 x 60	20	5	2.80
UBWFH55085	M5.5 x 85	20	5	3.70
UBWFH55109	M5.5 x 109	20	5	4.60



## Self Drill Washers

### Self Drill Washers

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBMFW16	M16	50	5	2.10
UBMFW19	M19	50	5	2.45



## Gash Point Screws

### Gash Point Screws with 16mm Washer

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBGP6303216W	M6.3 x 32	30	5	3.10
UBGP6304516W	M6.3 x 45	30	5	3.70



## Self Drill Wafer Heads

### Self Drill Wafer Heads

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBWH4213	M4.2 x 13	30	5	1.70



## Magnetic Sockets

### Hex Drive Magnetic Sockets

Part Number	Size	Quantity in a bag	Qty of bags in outer	Price £ per bag
UBMF516	5/16"	1	5	2.80





# Terms and Conditions of Sale

## 1. APPLICATION

Unless otherwise agreed in writing between the company and its customer, the following terms and conditions of sales shall apply to all sales of goods by the company to its customer.

## 2. PRICE VARIATION

Price applicable to the sales of goods by the company to the customer shall be the price ruling at the date of despatch. The company therefore reserves the right to amend prices quoted at the date of the placing of an order by the customer by notifying the customer in writing.

## 3. CARRIAGE

The Company reserves the right as part of this contract to impose such surcharge or carriage charge as shall be laid down by the company policy at any time. Such terms will be available for examination at the address of the company shown on the letterhead of its invoices and are deemed to be part of all contracts unless specifically agreed to the contrary in writing by the company. The company has sole choice of method of delivery and of carrier or carriers employed unless specifically agreed in writing to the contrary.

## 4. DESPATCH

Despatch dates are quoted without engagement although every endeavour will be made to adhere to the date or dates quoted. In no circumstances shall the company be liable for any loss arising from delay in despatch however caused. Time shall not be of the essence of the contract.

## 5. DAMAGE AND LOSS IN TRANSIT

5.1 The company accepts no liability for any damage to goods in transit unless notified to the company and the carrier concerned within twenty four hours after delivery.

5.2 In the case of non-delivery the company accepts no liability of any sort unless written notice of non-delivery is given to the company within seven days after the date of the advice of despatch of the goods.

5.3 Paragraphs one and two shall not apply to despatches to countries outside the United Kingdom of Great Britain, Northern Ireland and the Isle of Man. In respect of these countries the company accepts no liability for damage or loss in transit unless the company has contracted to supply the goods C.I.F. and the customer has adhered to the terms of the insurance policy.

5.4 The company's liability for damage in transit or non-delivery of goods duly notified to it in accordance with the above, shall in any event be limited solely to replacement of the goods within a reasonable time, whether non-delivery or damage is due to the company's negligence or otherwise.

## 6. CLAIMS

Subject to the provision of condition 5, all claims for goods alleged to be defective must be made in writing to the company within seven days after the date of delivery. When notification is so received the company may require return of the goods or for the goods to be made available for inspection by the company. Should the company be satisfied as to the defects then it retains the option to either replace the defective goods within a reasonable time or credit to the customer within the contract price. All defective goods so returned shall be the property of the company. Except as provided above, the company shall have no liability whatsoever arising out of any agreement to sell or sale of goods including claims for direct consequential or other loss, damage or expense, whether arising or alleged to arise under any warranty statement, conditional term expressed or implied, statutory or otherwise, or in negligence or alleged negligence on the part of the company or otherwise. In no circumstances shall the company be liable for loss or damage in excess of the contract sale price.

## 7. PASSING OF PROPERTY

Each of the following sub-clauses 7.1 to 7.6 are separate and severable and shall be enforceable accordingly:

7.1 Notwithstanding delivery, all goods supplied by us will remain our absolute property until you pay in full for them and for all other goods previously supplied by us;

7.2 You will store the goods in such a way that they are readily identifiable as our property, but you may, as trustees for us, sell them to a third party in the normal course of your business;

7.3 Upon any sale by you of the goods (either alone or with other items) all rights which you have against the buyer shall automatically vest in us;

7.4 We shall be entitled immediately after giving notice of our intention to repossess, to enter upon any premises with such transport as may be necessary and repossess any goods to which we have title under this Clause;

7.5 If you incorporate the goods we supply to you into other products with or without materials you already possess or which are supplied to you by third parties the property in such other product will pass to us and you shall store them without charge on our behalf as bailee;

7.6 You shall not be entitled to pledge or in any way charge by way of security any of the goods which remain our property but in the event you do so all moneys owing by you to us shall without prejudice to any other right or remedy available to us forthwith become due and payable.

## 8. PAYMENT

For the purpose of this Clause the due date shall mean the due date specified on the face of the invoice. Customers electing to pay by Direct Debit shall mean the 28th of the month following the month of the invoice. If you do not comply punctually with these terms of payment we reserve the right to charge you interest on any amount overdue at the rate of 1½% per month from the due date to the date of receipt of the monies outstanding, and without notice to suspend further deliveries until all arrears (including interest) have been paid and, at our option, to rescind any subsisting contract with you as to all or any parts of future deliveries but without prejudice to any rights already accrued to us under such contracts. Where a settlement discount is shown on the face of the invoice the customer may deduct this from his payment provided that payment in full less this discount is made by the due date.

## 9. ADDITIONAL DELIVERIES

Where the company has been obliged to make an additional delivery of the goods to the premises specified in the contract due to the failure of the customer to accept the delivery of the goods, the company reserves the right to make a charge for such additional delivery, unless the company failed to meet a specified time and date of delivery agreed in writing by the company and the customer. Any proposed delivery date specified on this invoice or on a sales order does not constitute such agreement in writing.

## 10. INTERPRETATION

Any agreement between the company and the purchaser shall be subject to and governed by the domestic law of England.



# Notes

**Head Office**  
Opal Way  
Stone Business Park  
Stone  
Staffordshire ST15 0SW  
tel **01785 811300**

**Sales Office**  
**Stone**  
tel **01785 819819**  
fax 01785 819699  
info@owlett-jaton.com

**Sales Office**  
**Dartford**  
tel **01322 277733**  
fax 01322 288043  
dartford.sales@owlett-jaton.com

**Sales Office**  
**Swindon**  
tel **01793 527829**  
fax 01793 529538  
swindon.sales@owlett-jaton.com



**Sales Office**  
**Elland**  
tel **01422 370121**  
fax 01422 377277  
elland.sales@owlett-jaton.com

**Sales Office**  
**Milton Keynes**  
tel **01908 201600**  
fax 01908 669102  
milton.keynes@owlett-jaton.com